
NOVO

ESSENTIALS PROGRAM

GSA Schedule

Contract Period: June 29, 2023 to June 28, 2028 Contract Number: 47QSMA23D08Q6 SIN: 33721



ESSENTIALS

TABLE OF CONTENTS

INTRODUCTION

Terms and Conditions	4
Essentials Fabrics	7
Pattern Direction	8
Essentials Finishes	9
Pull Options, Storage	10
Data Port Plate	11
Panel Options & Knockout Location	12
Maximum Panel Run	13
Festoons	15
Transaction Support	17
Grommet Locations	18

MONOLITHIC PANELS

Fabric-Covered Panel
Non-Electrical
Electrical
Partial-Glazed Panel
Non-Electrical
Electrical
Base Covers

PANEL HARDWARE

Draw Rods
Connectors
2 Way post
3 Way post
4 Way post
Finished End
Finished End, Change of Height
Wall Connectors

ELECTRICAL DISTRIBUTION

Power Entry
Base Power Entry
Ceiling & Data Power Entry
Receptacles
Data Port Plates
Pass Thru Festoon
Power Panel Conversion Kit

WORKSURFACES	
Rectangular	38
90 ° Corner	
Notched	41
Curved	42
Half Circle	43
D - Shaped	44
Transaction	
Rectangular	45
Corner	46

MY-HITE WORKSURFACES

Rectangular	
Corner	
D-Shaped	

WORKSURFACE SUPPORTS

Square Post Leg	50
Support End Panel	51
Square Metal P-Leg	52
Square Corner, Triangle shape Leg	53
Taper Legs	54
Inset Legs	55
Brackets	
Corner Bracket	56
Flat Bracket	57
Mending Plates	58
Anti-Sag Bars	59

COMPONENTS

Components	60
Tackboards	61
Overheads and Shelves	62
Upmount Sliding Overhead Cabinet	63
Upmount Pneumatic Overhead Cabinet	64

STORAGE

Pedestals	65
Lateral Files	69
Front to Back File Bars	70
Lateral File Counterweight	70
Extended Glide	70

ACCESSORIES

Accessories	71
Keyed Alike	73

ESSENTIALS PROGRAM

Orders with the Essentials program are limited to under \$10,000 net. Essentials orders must be on separate P.O.s and cannot be combined with standard lead time orders.

PRICES

All Prices are F.O.B. point (Continental U.S.). We reserve the right to change prices without prior notice.

ORDERING

ESSENTIALS

Purchase Orders should be sent to Friant & Associates, LLC at orders@friant.com, or faxed to (510) 535-6895. If your specifications were created with CAP, GIZA, or Project Matrix please send the worksheet (SP4) with your Purchase Order.

MAXIMUM ORDER

All of our Essentials programs will be offered with a maximum order size of \$10,000 net and are based on capacity. We encourage our customers to check stock on orders over \$10,000 as we may be able to accommodate larger opportunities.

TERMS

Net 30 days from date of invoice. Invoices are delinquent if not paid 30 days from date of invoice. In the event timely payment is not made, interest will be charged at the rate of 1.5% per month on delinquent accounts. Buyers will also be liable for normal collection costs and attorney's fee. 50% deposit is required with every order, unless prior arrangements have been made.

ORDERS

Orders are only accepted by issuance of our formal acknowledgment, and are subject to the terms set forth herein and on our order acknowledgment. It is the responsibility of the buyer to review our acknowledgment for accuracy.

LEAD TIME

Lead times are subject to availability.

SHIPPING

Friant generally palletizes, boxes and/or shrink-wraps its products. If buyer requests additional packaging or special shipping, then it is responsible for any extra costs that result. Buyer obtains title to products and assumes the risk of loss for them upon shipment from Friant's plant.

CLAIMS

We are not responsible for damage suffered in transit. Merchandise should be inspected for possible freight damage upon delivery. The consignee should file for damage or shortages with the carrier within 5 days of delivery. You are also protected for "concealed damage" if you file claim with the carrier within 5 days of delivery. Buyer must make all claims against Friant for defects, errors or shortages in writing within 10 days after delivery. Failure to make such a claim shall constitute full acceptance.

RETURNS

No merchandise may be returned without our written consent and shipping instructions. Unauthorized returns will not be accepted and will be returned freight collect.

PARTIAL SHIPMENTS

We will make every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments, as merchandise is ready. Invoices covering these shipments are to be paid as they become due.

ORDER CHANGE - CANCELLATIONS

Our order confirmation is final and binding. Any order change or cancellation is subject to our ability to conform. For the most up to date information, always review the order change/cancellation policy online. Allowable changes within the posted policy must be made in writing.

SHIPMENT AND PREPAID FREIGHT

Unless otherwise instructed, we reserve the option to ship by what is, in our opinion, the best possible way. Upon request, we will prepay and add freight for accounts with established credit.

DELIVERY

We are not liable for delay or failure of delivery due to strikes and/or differences with workmen, war, riot, fire, compliance with government regulations, acts of nature, failure or delays of sources of supply, or any other causes beyond our control.

ESSENTIALS / INTRODUCTION

Terms and Conditions continued..

STORAGE

If buyer cannot accept delivery when merchandise is ready, we reserve the right to transfer goods to storage. Costs of transfer and storage will be charged to the buyer's account, and we will deem such transfer as constituting shipment for all purposes, including invoicing, as of the date the transfer is made.

CONSTRUCTION - SPECIFICATIONS

All items are produced to price list specifications unless otherwise advised. All dimensions shown are approximate. Manufacturer reserves the right to make modifications and/or improvements without prior notice.

FABRIC APPLICATION

Standard fabric application for panels 67" and below is Non-Directional application. Panels taller than 67" are only available in Directional application. When ordering panels 67" and below to match a panel taller than 67", specify matching direction. See individual pricebook specifications for details.

Friant & Associates is not responsible for charges associated with replacement of products due to incorrect specifications.

CUSTOMER'S OWN MATERIAL

Yardage requirement is based on 66" wide plain covering material, and must be increased if less than 66" wide. Special instructions for handling material (pattern, directional fabric, right side of reversible fabric, etc.) must be submitted in writing before fabric is delivered. In the absence of special instructions, we reserve the right to use our own judgment. We reserve the right to reject any covering, which in our opinion, is unsuitable for our upholstery purposes. However, in no instance shall we be held responsible for unsatisfactory results due to use of covering unsuitable for our upholstery methods.

We will not be responsible for errors caused by buyers not supplying us with sample cuttings attached to their order giving full identification of covering material, (name of supplier, covering name, number and color) for identification purposes and advising us of model number and quantity to which each cover is to be applied.

Customer's own material that is shipped freight collect will be refused. A service charge will be applied for the return of unusable C.O.M. Contact factory.

RIGHTS AND WARRANTIES - LIMITED LIFETIME WARRANTY

This warranty is given to the initial purchaser and is valid from the date of purchase, for as long as the initial purchaser owns the product. This warranty covers defects in material and craftsmanship found during normal usage of the product during the warranty period. Normal usage is defined by 8 hour shifts in the product's intended application and in an indoor environment that conforms to the ANSI/ASHRAE Standard 55: Thermal Environmental Conditions for Human Occupancy (relating to air temperature, mean radiant temperature, air velocity, clothing insulation, metabolic rate, and humidity). Friant's warranty does not cover usage other than normal usage as defined in the previous sentence. If the product is defective, and if written notice of the defect is given to Friant & Associates within the applicable warranty period, Friant & Associates, at its option, will either repair or replace the defective product with a comparable component or product. This warranty applies to all products except as noted below.

High wear parts, such as wood veneer, fabrics, laminates and other covering material/finishes, foam. glides, etc. are warranted for one (1) year. This warranty does not apply to damage caused by a carrier, alteration to the product not expressly authorized by Friant & Associates, nor to product considered to be of a consumable nature such as bulbs, light ballasts, etc. It also does not apply to "Customer's Own Material" (i.e. material specified by the customer that is not a standard Friant & Associates offering) used in the manufacture of Friant & Associates products.

Our warranty for LED lights is 2 years.

Friant & Associates does not warrant the matching of colors, grain or texture, except to within commercially acceptable standards. This includes normal variations between dye lots (fabrics).

A product will not be considered defective, and Friant & Associates will not be obligated to replace it, if it is not installed in a proper manner (i.e. product not leveled, not secured properly, etc.) or if it is not used in a manner and/or in an environment that constitutes normal usage, as defined above.

Except as noted above, Friant & Associates makes no express or implied warranties to any product, and in particular makes no warranty of fitness for any particular use. At Friant & Associates' option, product repair and replacement is the customer's exclusive remedy for any and all product defects.

Friant & Associates shall not be liable for consequential, economic, or incidental damages arising from any product defect.

Terms and Conditions continued..

CALIFORNIA PROP 65 WARNING

Products in this catalog can expose you to chemicals including wood dust, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to https://www.p65warnings.ca.gov/products/furniture-products."

CARB

Friant products are CARB 93120 compliant for formaldehyde (phase 2)

TSCA TITLE VI Friant products are TSCA Title VI Compliant

MAS

Accredited Compliance Designation - ANSI/BIFMA x7.1 & e3-2014 7.6.1, 7.6.2, 7.6.3 California Dept. Of Public Health Standard Method v1.2 Conforms With: LEED v4 Criteria of MAS Certified Green * Program

6

ESSENTIALS FABRICS

JOURNEY	(TERRAIN		SLIDE		SILKY		SKY	
PF801-1	Quest	PF701-1	Cloud	PF101-1	Caramel	PF401-1	Natural	PF301-1	Terra
PF801-2	Voyage	PF701-2	Dusk	PF101-2	Slate	PF401-2	Parids	PF301-2	Birch
PF801-3	Transit	PF701-3	Wave	PF101-3	Pewter	PF401-3	Overcast	PF301-3	Moss
PF801-4	Amble	PF701-4	Earth	PF101-7	Java	PF401-5	Graphite		
PF801-5	Odyssey			PF101-9	Sterling				
PF801-6	Caravan			PF101-10	Crema				
PF801-7	Expedition			PF101-20	Serenity				
PF801-8	Wayfare			PF101-21	Azure				


LIMITED AVAILABILITY					
SLIDE		STICKS			
PF101-4	Verde	PF501-3	Sage		
PF101-6	Vintage				
PF101-8	Latte				
PF101-12	Stem				
Fabric is scheduled for discontinuation when inventory is					
exhausted. Please contact Customer Success for current stock levels. After discontinuation fabric will be available with					
extended lead time, subject to minimum yardage requirements.					

NOTES:

- Passage and Terrain are not available on acoustical panels, pedestal cushions, tackboards or fabric screens.
- Please refer to the Fabric Direction Section in the Materials Reference Guide on the Dealer Resource Center for more details. http://dealers.friant.com/dealers/product-literature/
- When ordering panels 67" and below to match an 85"H panel, specify matching direction.
- Order fabric / finish sample online at www.friant.com
- Colors may vary slightly between dye lots.

Pattern Direction

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to our **Materials Reference Guide** on the Dealer Resource Center for specific pattern application defaults on all of our products: <u>http://dealers.friant.com/dealers/product-literature/</u>
- Our Customer Success Team is happy to answer any questions regarding fabric direction.



ESSENTIALS / INTRODUCTION

Essentials Finishes

WORKSURFACE FINISHES

EDGE FINISHES (3MM PVC)

M1	Light Maple	E1	Light Maple
M2	Light Cherry	E2	Light Cherry
M3	Medium Cherry	E3	Medium Cherry
M4	Dark Mahogany	E4	Dark Mahogany
M6	Light Gray	E6	Light Gray
M9	Cloud White	E9	Cloud White
M10	Espresso	E10	Espresso
M11	Light Walnut	E14	Light Walnut
M12	Medium Walnut	E15	Medium Walnut
M13	Licorice	E13	Licorice
M14	Carob	E17	Carob
M16	Tundra	E19	Tundra
M23	Bark	E26	Bark
M25	Winter	E28	Winter
M27	Medium Ash	E30	Medium Ash
M28	Arctic	E31	Arctic
Matar	stale e define de sue des sufa en Cortob	E11	Medium Tone
	atch edging to worksurface finish E, not number, or submit order with	E12	Dark Tone

by NAME, not number, or submit order with Edge To Match (ETM).

PAINT FINISH

DT Dark Tone MT Medium Tone CW Cloud White

END PANEL - MEL FINISH

M29 Dark Tone/ Black Umber M99 Medium Tone M9 Cloud White

END PANEL EDGE - MEL FINISH

E32 Dark Tone/ Black Umber E11 Medium Tone E9 Cloud White

PAINT FINISH

Grommet Color matches cantilever finish selected

PAINT FINISH	GROMMET
DT Dark Tone	Black
MT Medium Tone	Black
CW Cloud White	White


Note: grommets included on corner tops only, see item descriptions


Order samples at www.friant.com


Please Note: Images are printed simulations and are not exact matches of finished product. Please request an actual sample from Friant or your sales consultant before specifying finishes.

Pull Options, Storage

You have multiple pull options. Please specify type when ordering. If you have any questions, please contact Friant Customer Success or your local sales rep.







Product Description

PART #: Q1FHDPP

This Data Port Faceplate is field configurable, flush-mounted onto the Panel Base Kickplate, and provides 1 to 4 flush-mount ports for a variety of snap-in connectors and adaptors.

Product Notes

- Installation and changes can be made without removing the Panel Base Kickplate
- Plates can be installed and removed without any tools
- Window ID provided with each Data Port Plate
- Release latch provides easy access to connections without any tools
- Blank inserts included with each Data Port Plate

Dimensions

HEIGHT: 2^{1/8}" WIDTH: 3^{5/8}" DEPTH: 0.75" (from face of Panel Base Kickplate) MATERIAL: High impact plastic

Panel Options


The Novo Essentials program offers categories of panels: Monolithic panels.

	Knockout Location
	 On Powered Panels, knockouts are located
	10.5" in from the edge of the panels.
· · ·	• Knockouts are 3" by 1 ^{7/8} ".
	 Accepts receptacles, data port plates or
	base infeeds.
	• 24" panels will have one knockout per side.
	 30" and wider will have two knockouts per
	side.
	► <u>10.5"</u> <u>17/8"</u> <u>10.5"</u>

MONOLITHIC Fabric Covered or Partial Glazed

All panels are available electrical or non-electrical.

Panel Creep





ESSENTIALS / INTRODUCTION

Maximum Panel Run - Recommended Guidelines


Panel runs need wall starts or wing panels for stability. Exceeding the recommended guidelines shown below may result in unstable panel configurations. Panels that are not properly supported will **yield** when pressure is applied.

Freestanding







Freestanding with Components




ESSENTIALS

Wall Start





Wall Start with Components




14

Festoons


Festoons connect powered panels in a straight line or through connectors. All Novo powered panels will come with a panel to panel festoon, which extends power in a straight line from panel to panel. Because these are included, there is no need to order them separately.


Festoons will only need to be ordered separately when bringing power across a connector. Novo uses two different festoon sizes to achieve different connections. Please see below for details and specify festoons on page 37



90° Angle Festoon


- Part number Q1FHCPK.90 on page 37
- Extends power at a 90 degree angle through a 2-way, 3-way, or 4-way connector






Transaction Support

- Transaction supports do not need to be specified separately. Attachment hardware is included
- Rectangular transaction tops come in three types: without cutout, with cutout on one side, and with cutout on two sides
 Transaction tops with cutouts are used at the lower height at a change of height. The cutout accommodates the change of height trim.
- Specify transaction tops starting on page 45





Grommet Locations



Select a My-Hite worksurface


My-Hite tops (see page 47) offer optional grommets. Please use the codes shown when specifying location of grommets. An upcharge of \$75 applies per grommet.



2a

Select a grommet location, Rectangular Tops

Specify location by using the designated codes



CODE	POSITION			
GL	4" from left side - 4" from rear			
GC	Centered from side to side - 4" from rear			
GR	4" from right side - 4" from rear			
G1	Pair of grommets, GL and GR			
G5	Three grommets, GL-GC-GR			
Dimensions are measured from grommet center				


For other grommet locations, please call Friant customer success.

Grommets are 3" round with cover standard

2b

Select a grommet location, D-Shaped Tops

Specify location by using the designated codes




CODE	POSITION				
GC	Centered from side to side - 4" from rear				
Dimensions	are measured from grommet center				
For other grommet locations, please call Friant customer success.					
Grommets	are 3" round with cover standard				



18

Select a grommet location, 90° Equal Corners

Specify location by using the designated codes




CODE	POSITION
GSL	4" from left side - 4" from rear
GCOR	Corner - 4" from rear
GSR	4" from right side - 4" from rear

Dimensions are measured from grommet center

For other grommet locations, please call Friant customer success. Grommets are 3" round with cover standard

Fabric-Covered Panel

Non-Electrical



• Standard fabric application for panels is Non-Directional. Specify Group 5 for Directional application.

39" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE	GROUP 5 UPCHARGE
Q1FHFAPA.3924N	39"	24"	2″	\$505	\$50
Q1FHFAPA.3930N	39"	30″	2″	\$549	\$54
Q1FHFAPA.3936N	39"	36″	2″	\$615	\$62
Q1FHFAPA.3942N	39″	42"	2″	\$646	\$66
Q1FHFAPA.3948N	39″	48"	2″	\$676	\$68

47" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE	GROUP 5 UPCHARGE
Q1FHFAPA.4724N	47"	24"	2″	\$531	\$52
Q1FHFAPA.4730N	47"	30″	2″	\$589	\$60
Q1FHFAPA.4736N	47"	36″	2″	\$670	\$68
Q1FHFAPA.4742N	47″	42"	2″	\$737	\$74
Q1FHFAPA.4748N	47"	48"	2″	\$759	\$76

PART #	HEIGHT	WIDTH	DEPTH	PRICE	GROUP 5 UPCHARGE
Q1FHFAPA.5324N	53″	24"	2″	\$542	\$52
Q1FHFAPA.5330N	53″	30"	2″	\$611	\$62
Q1FHFAPA.5336N	53″	36″	2″	\$708	\$72
Q1FHFAPA.5342N	53″	42"	2″	\$761	\$76
Q1FHFAPA.5348N	53"	48″	2″	\$809	\$82


67" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE	GROUP 5 UPCHARGE
Q1FHFAPA.6724N	67″	24″	2"	\$624	\$64
Q1FHFAPA.6730N	67″	30″	2"	\$696	\$72
Q1FHFAPA.6736N	67″	36″	2"	\$798	\$82
Q1FHFAPA.6742N	67″	42"	2"	\$851	\$86
Q1FHFAPA.6748N	67″	48"	2″	\$903	\$90

ESSENTIALS / MONOLITHIC PANELS

Fabric-Covered Panel

Electrical



• Order panel through post festoon separately

Q1FHFAPA.3948E

- Order connectors and finished ends separately
- Standard fabric application for panels is Non-Directional. Specify Group 5 for Directional application.

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	
	Q1FHFAPA.3924E	39″	24″	2″	\$692	
	Q1FHFAPA.3930E	39″	30″	2"	\$735	
	Q1FHFAPA.3936E	39″	36″	2″	\$800	
	Q1FHFAPA.3942E	39"	42"	2″	\$833	

39"

39" HIGH

47″	HIGH	

PART #	HEIGHT	WIDTH	DEPTH	PRICE	GROUP 5 UPCHARGE
Q1FHFAPA.4724E	47″	24"	2"	\$719	\$74
Q1FHFAPA.4730E	47″	30"	2"	\$776	\$78
Q1FHFAPA.4736E	47″	36″	2"	\$855	\$86
Q1FHFAPA.4742E	47″	42"	2"	\$925	\$92
Q1FHFAPA.4748E	47"	48″	2″	\$946	\$94

48″

2″

\$863

GROUP 5 UPCHARGE

\$72 \$74 \$82 \$84

\$88

53" HIGH


PART #	HEIGHT	WIDTH	DEPTH	PRICE	GROUP 5 UPCHARGE
Q1FHFAPA.5324E	53″	24"	2"	\$729	\$74
Q1FHFAPA.5330E	53″	30"	2″	\$797	\$82
Q1FHFAPA.5336E	53"	36″	2″	\$895	\$90
Q1FHFAPA.5342E	53″	42"	2″	\$948	\$94
Q1FHFAPA.5348E	53″	48"	2"	\$998	\$100

67" HIGH

PART #	HEIGHT V	WIDTH	DEPTH	PRICE	GROUP 5 UPCHARGE
Q1FHFAPA.6724E	67″	24"	2″	\$811	\$82
Q1FHFAPA.6730E	67″	30"	2″	\$884	\$88
Q1FHFAPA.6736E	67″	36″	2"	\$987	\$100
Q1FHFAPA.6742E	67″	42"	2″	\$1,038	\$106
Q1FHFAPA.6748E	67″	48"	2″	\$1,090	\$110

Partial Glazed Fabric Covered Panel

Non-Electrical



• Cannot be used as dry erase surface.

• Standard fabric application for panels is Non-Directional. Specify Group 5 for Directional application.

53" HIGH


PART #	HEIGHT	WIDTH	DEPTH	PRICE	GROUP 5 UPCHARGE
Q1FHPGPA.5324N	53″	24"	2"	\$809	\$82
Q1FHPGPA.5330N	53″	30″	2"	\$877	\$88
Q1FHPGPA.5336N	53″	36″	2"	\$1,051	\$106
Q1FHPGPA.5342N	53″	42"	2"	\$1,104	\$110
Q1FHPGPA.5348N	53″	48"	2″	\$1,206	\$122

67" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE	GROUP 5 UPCHARGE
Q1FHPGPA.6724N	67″	24"	2"	\$889	\$90
Q1FHPGPA.6730N	67″	30″	2"	\$961	\$98
Q1FHPGPA.6736N	67″	36″	2"	\$1,142	\$114
Q1FHPGPA.6742N	67″	42"	2"	\$1,192	\$120
Q1FHPGPA.6748N	67″	48"	2"	\$1,300	\$130

Partial Glazed Fabric Covered Panel

Electrical



DESCRIPTION

Structural panel with fabric covered lower surfaces and 14" high tempered glass top section, painted top cap and leveling glides, 4-circuit power installed in cable management raceway covers.

SPECIFICATION OPTIONS

product #: See charts below finish: See page 9 panel glazing: TR Clear fabric (side 1): See page 7 fabric (side 2): See page 7

ORDER EXAMPLE

product #: Q1FHPGPA.5324E finish: DT panel glazing: TR Clear fabric (side 1): Silky/Natural PF401-1 fabric (side 2): Silky/Natural PF401-1

Options/Notes

- 24" wide panels have one receptacle per side.
- 30" to 48" wide panels have two receptacle locations per side.
- Includes panel to panel festoon.
- Order connectors and finished ends separately.
- Order panel through post festoon separately.
- Cannot be used as dry erase surface
- Standard fabric application for panels is Non-Directional. Specify Group 5 for Directional application

53" HIGH


PART #	HEIGHT	WIDTH	DEPTH	PRICE	GROUP 5 UPCHARGE
Q1FHPGPA.5324E	53"	24″	2"	\$998	\$100
Q1FHPGPA.5330E	53″	30″	2"	\$1,064	\$108
Q1FHPGPA.5336E	53"	36″	2"	\$1,237	\$124
Q1FHPGPA.5342E	53″	42″	2"	\$1,291	\$130
Q1FHPGPA.5348E	53"	48″	2"	\$1,392	\$140

67" HIGH

24

PART #	HEIGHT	WIDTH	DEPTH	PRICE	GROUP 5 UPCHARGE
Q1FHPGPA.6724E	67″	24″	2″	\$1,079	\$108
Q1FHPGPA.6730E	67″	30″	2″	\$1,150	\$114
Q1FHPGPA.6736E	67″	36″	2″	\$1,329	\$134
Q1FHPGPA.6742E	67″	42"	2″	\$1,379	\$140
Q1FHPGPA.6748E	67″	48″	2″	\$1,487	\$148

Base Covers



DESCRIPTION

Panel base covers with and without power knockouts

NOTES

• Base covers are included with panels, sold here separately for special situations


SPECIFICATION OPTIONS

product #: see charts below
finish: see page 28

ORDER EXAMPLE

product #: Q1FHSP11M-5E
finish: DT Dark Tone

BASE COVERS NON-POWERED




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
Q1FHSP11M-3	_	24"	_		\$41
Q1FHSP11M-4	_	30"	-		\$50
Q1FHSP11M-5	-	36"	_		\$59
Q1FHSP11M-6	_	42	_		\$67
Q1FHSP11M-7	_	48"	_		\$76

NOTES

- Base cover with no knockoutsOrder (1) per each side of
- panel
 Included with all non-powered panels, sold here separately for special situations

BASE COVERS WITH POWER CUTOUTS




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
Q1FHSP11M-3E	_	24"	_		\$41
Q1FHSP11M-4E	_	30"	-		\$50
Q1FHSP11M-5E	_	36"	—		\$59
Q1FHSP11M-6E	_	42	—		\$67
Q1FHSP11M-7E	_	48"	-		\$76

NOTES

- Base cover with knockouts
- Order (1) per each side of panel
- Included with all powered panels and conversion kits, sold here separately for special situations
- 24"W has (1) knockout
- 30"W 60"W have (2) knockouts
- Power components not included

Draw Rod



Options/Notes

• When connecting panels of different heights to each other, order draw rod change of height

• Draw rods are 5" shorter than the panel height

FOR SAME HEIGHT

¢

PART #		HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FDRS	H.34	34"	-	-	\$30	 Rod and block assembly connects two panels of
Q1FDRS	H.42	42″	-	-	\$30	the same height
Q1FDRS	H.48	48″	-	-	\$31	
Q1FDRS	H.62	62″	-	-	\$31	

FOR WALL START/POWER POLE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FDR.34	34"	-	-	\$30	Rod and block assembly for use at wall start or
Q1FDR.42	42"	-	-	\$30	power pole installed at end of run.
Q1FDR.48	48"	-	-	\$31	end of run.
Q1FDR.62	62"	-	-	\$31	



DRAW ROD, CHANGE OF HEIGHT

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FHDRCHS.34	34"	-	-	\$47	 Rod and block assembly connects two panels at
T	Q1FHDRCHS.42	42"	-	-	\$47	180° (straight line) when
	Q1FHDRCHS.48	48"	-	-	\$55	the panels are of different height.
						Order the height of the shorter panel.

2-Way Connector Post



DESCRIPTION

Panel hardware to connect 2panels.

SPECIFICATION OPTIONS

product #: See charts below
finish: See page 9

ORDER EXAMPLE

product #: Q1FH2W.39 finish: DT Dark Tone


Height separately

Options/Notes

• Includes connector top cap

- When connecting panels of different heights, specify the connector to match the tallest panel.
- For panels that do not match the height of the connector, order Finished End Change of Height separately

90° CONNECTOR POST



	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FH2W.39	39"	3.5″	3.5″	\$172	 Connects 2 panels at 90° When connecting panels
	Q1FH2W.47	47"	3.5″	3.5″	\$193	of different heights,
	Q1FH2W.53	53″	3.5″	3.5″	\$205	specify the connector to match the tallest panel.
	Q1FH2W.67	67"	3.5"	3.5"	\$223	 For panels that do not match the height of the connector, order Finished End Change of

28

3-Way Connector Post



DESCRIPTION

Panel hardware to connect 3 panels.

SPECIFICATION OPTIONS

product #: See charts below
finish: See page 9


ORDER EXAMPLE

product #: Q1FH3W.39 finish: DT Dark Tone

Options/Notes

• Includes connector top cap

90° CONNECTOR POST



PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FH3W.39	39″	3.5″	3.5″	\$198	Connects 3
Q1FH3W.47	47″	3.5″	3.5″	\$228	 Includes can manageme and top ca When con
Q1FH3W.53	53″	3.5″	3.5″	\$249	
Q1FH3W.67	67″	3.5″	3.5″	\$296	of differer specify th

• Connects 3 panels at 90°.							
 Includes cable 							
management trim cover							
and top cap							
• When connecting panels							
of different heights,							
specify the connector to							
match the tallest panel.							
 For panels that do not 							

 For panels that do not match the height of the connector, order
 Finished End Change of Height separately

4-Way Connector Post



DESCRIPTION

Panel hardware to connect 4 panels.

SPECIFICATION OPTIONS

product #: See charts below
finish: See page 9

ORDER EXAMPLE


product #: Q1FH4W.39 finish: DT Dark Tone

> the connector, order Finished End Change of Height separately

Options/Notes

• Includes connector top cap


90° CONNECTOR POST



	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
1	Q1FH4W.39	39"	3.5″	3.5″	\$200	• Connects 4 panels at 90°.
	Q1FH4W.47	47"	3.5″	3.5″	\$245	Includes top capWhen connecting panels
Q1FH4W.53 Q1FH4W.67	Q1FH4W.53	53″	3.5″	3.5″	\$257	of different heights, specify the connector to
	Q1FH4W.67	67"	3.5″	3.5″	\$346	For panels that do not match the height of

<u>a</u>
a
D
<u> </u>
9
<
<
<
<
<
/LS /
<
ALS /
/LS /
ALS /

Finished End



Options/Notes

• N/A

FINISHED END

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FHFE.39	39"	3.5″	1″	\$78	• Finishes the vertical end of a panel at the end of a
	Q1FHFE.47	47"	3.5″	1″	\$89	panel run.
	Q1FHFE.53	53"	3.5″	1″	\$93	 Includes the cable management trim cover.
	Q1FHFE.67	67"	3.5″	1″	\$105	

Finished End, Change of Height



DESCRIPTION

Finished end change of height.

SPECIFICATION OPTIONS

product #: See charts below
finish: See page 9

ORDER EXAMPLE

product #: Q1FHFECH.6 finish: DT Dark Tone

Options/Notes

• N/A

FOR CONNECTOR

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FHFECH.6	6"	1.75″	.25″	\$93	• Finishes the exposed end of a connector at a
	Q1FHFECH.8	8"	1.75″	.25″	\$93	change of height location.
	Q1FHFECH.14 Q1FHFECH.20	14″	1.75″	.25″	\$93	 Includes finished end trim and mounting hardware.
		20"	1.75″	.25″	\$93	
	Q1FHFECH.28	28″	1.75″	.25″	\$93	

FOR PANEL TO PANEL

-	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FHFECHS.6	6″	1.75″	.25″	\$93	 Finishes the exposed end of a panel at a change of
	Q1FHFECHS.8	8″	1.75″	.25″	\$93	height location.
	Q1FHFECHS.14	14″	1.75″	.25″	\$93	 Includes finished end trim and mounting hardware.
	Q1FHFECHS.20	20″	1.75″	.25″	\$93	
_	Q1FHFECHS.28	28″	1.75″	.25″	\$93	

Wall Connectors



DESCRIPTION

Attaches to wall.

SPECIFICATION OPTIONS

product #: See charts below
finish: See page 9

ORDER EXAMPLE

product #: Q1FHWSTA.34 finish: DT Dark Tone

Options/Notes

• N/A


WALL START

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FHWSTA.34	34"	1.75″	1″	\$90	Connects panel to structural wall or column.
	Q1FHWSTA.42	42"	1.75″	1″	\$99	Can also connect equal
	Q1FHWSTA.48	48″	1.75″	1″	\$106	height panels at a 90° angle at any point along
	Q1FHWSTA.62	62"	1.75″	1″	\$117	the panel width.Order one additional draw rod of the same height.

WALL STRIP

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FWSST.60	60″	-	-	\$77	Attaches to structural wall to hang worksurfaces
	Q1FWSST.72	72″	-	-	\$89	and/or components.
\geq	Q1FWSST.84	84"	-	-	\$108	 Includes one wall strip.

Electrical Distribution



DESCRIPTION

Parts for distributing power through your system. Distributes up to four 20-amp circuits.

SPECIFICATION OPTIONS

product #: See charts below

ORDER EXAMPLE

product #: Q1FHBPE

Options/Notes

• 4-circuit

BASE POWER ENTRY



	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FHBPE	L angle ellbow	6'	-	\$452	Connects building power from a wall, floor or column to the base of a panel.
						 Plugs directly into the panel's electrical harness at receptacle location.
						 Basefeed is approx 6 1/2 feet long
						 Distributes up to four 20-amp circuits.
						 Includes a cable that can be field-cut to the appropriate length.

• MUST BE WIRED BY A LICENSED ELECTRICIAN.

CEILING POWER ENTRY

ത	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FHCPE.39	39"	3.5″	3.5″	\$957	 Connects a ceiling electrical supply to the base of a
	Q1FHCPE.47	47"	3.5″	3.5″	\$957	powered panel. Distributes
	Q1FHCPE.53	53"	3.5″	3.5″	\$957	up to four 20-amp circuits. Attaches to the end of a
	Q1FHCPE.67	67"	3.5″	3.5″	\$957	panel run, or to a 3 or 4-way 90° connector. To attach the
						Power Pole at the end of a panel run, order a Draw Rod separately.

- Infeed is approx 14 1/2 feet long.
- To attach at a:
 - * 2-Way connection point, order a 3-Way connector
 - * 3-Way connection point, order a 4-Way connector
- Includes a rigid conduit and conduit connector, factory installed power harness, 12' pole, bezel and end cap trim cover.
- Available in MT, DT and CW only.
- MUST BE WIRED BY A LICENSED ELECTRICIAN 35

ESSENTIALS / ELECTRICAL DISTRIBUTION

CEILING DATA ENTRY



PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FHCDE.39	39″	3.5″	3.5″	\$431	 Routes data/telecommunication cables from the ceiling to the base of a panel.
Q1FHCDE.47	47"	3.5″	3.5″	\$431	Attaches to the end of a panel run, to a
Q1FHCDE.53	53″	3.5″	3.5″	\$431	3 or 4-Way 90° connector. To attach the Power Pole at the end of a panel run, order
Q1FHCDE.67	67"	3.5″	3.5″	\$431	a Draw Rod separately. • To attach at a:
					* 2-Way connection point, order a 3-Way connector
					* 3-Way connection point, order a 4-Way

connector • Includes a 12' pole, bezel, and end cap trim cover.

• Available in MT, DT and CW only.

RECEPTACLES

...

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FHRECP4.I	circuit a	-	-	\$37	 Locks into panel base power harness. Provides access to I, II, III, or IIII circuit. Provides dedicated circuit with "IIII" receptacle. Receptacle -CONT are permanently marked CONTROLLED on the face of the receptacle and must be connected to a timer or motion sensor at the infeed location by a licensed electrician in order to comply with California T24
	Q1FHRECP4.II	circuit b	-	-	\$37	
	Q1FHRECP4.III	circuit c	-	-	\$37	
	Q1FHRECP4.IIII	circuit d	dedicated	-	\$37	
	Q1FHRECP4.II-CONT	circuit b	-	-	\$37	
	Q1FHRECP4.III-CONT	circuit c	-	-	\$37	

DATA PORT PLATE

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	QIFHDPP	2.125"	3.625"	0.750"	\$61	 This Data Port plate is used at the base of a panel in unused duplex cutout to connect computers and/or communication equipment.
						 Data jacks should be top feed 90° type, not the back feed 180° type.
						 4 port locations and comes with 1 blank insert.
						 Available in BU, CW or SV finish
SK MOUNTED	POWER UNIT	- CLAMP				

DESK MOUNTED POWER UNIT - CLAMP



PART #	PRICE	NOTES	
Q1FPWR.DM	\$454	 Power unit clamps onto surface Includes 3 plugs and 2 USB-A ports Distributes up to 10 among 	
		Distributes up to 10 ampsfinish: available in BU and CW	

DESK MOUNTED POWER UNIT - ADHESIVE



	PART #	PRICE	NOTES
	Q1FPWR.DM-2	\$454	 Power unit attaches to surface with adhesive Includes 3 plugs, 1 USB-C, and 1 USB-A port
-			 Distributes up to 10 amps finish: available in BU and CW

FESTOON FOR PANEL THROUGH POST

111	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FHCPK.1	23"	-	-	\$123	 Extends power in a straight line through 3-Way or 4-Way connector. Extends power through a 120° or 135° 2 or 3 way connector.

FESTOON FOR 90° ANGLE

PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FHCPK.90	-	-	-	\$123	 Extends power at a 90° angle through a
					2-Way, 3-Way or 4-Way connector.

POWER PANEL CONVERSION KIT

PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FHPPCK.24	-	24″	-	\$311	Includes:
Q1FHPPCK.30	-	30″	-	\$364	* Power Retro* Base Cover with power
Q1FHPPCK.36	-	36″	-	\$400	cutouts * Panel to panel festoon
Q1FHPPCK.42	-	42"	-	\$445	Order duplex outlets
Q1FHPPCK.48	-	48"	-	\$488	separately. • Specify base finish: DT,


MT, CW
Order the Power Festoon Through Post if you are converting a non-electrical panel in a straight line through a 3-Way or 4-Way connection.
Order the Power Festoon 90° Angle if you are converting a

non-electrical panel at a 90° angle through a 2-Way, 3-Way or 4-Way

connection.

Standard Worksurfaces

Rectangular



Options/Notes

• Includes cantilever brackets and attachment hardware.

24" DEEP

PART #	HEIGHT	A	В	PRICE	NOTES
Q1FHERWS.2424L	1.25″	24″	24″	\$304	• N/A
Q1FHERWS.2430L	1.25″	30″	24″	\$349	
Q1FHERWS.2436L	1.25″	36″	24″	\$358	
Q1FHERWS.2442L	1.25″	42"	24″	\$444	
Q1FHERWS.2448L	1.25″	48″	24″	\$452	
Q1FHERWS.2454L	1.25″	54″	24″	\$520	
Q1FHERWS.2460L	1.25″	60″	24″	\$563	
Q1FHERWS.2466L	1.25″	66″	24″	\$632	
Q1FHERWS.2472L	1.25″	72″	24″	\$647	

24" DEEP - CONNECTOR SPANNING

PART #	HEIGHT	A	В	PRICE	NOTES
Q1FHERWS.2424L-3W	1.25″	27.5″	24″	\$436	• N/A
Q1FHERWS.2430L-3W	1.25″	33.5″	24″	\$479	
Q1FHERWS.2436L-3W	1.25″	39.5″	24″	\$492	
Q1FHERWS.2442L-3W	1.25″	45.5″	24″	\$572	
Q1FHERWS.2448L-3W	1.25″	51.5″	24″	\$586	
Q1FHERWS.2454L-3W	1.25″	57.5″	24″	\$652	
Q1FHERWS.2460L-3W	1.25″	63.5″	24″	\$697	
Q1FHERWS.2466L-3W	1.25″	69.5″	24″	\$762	
Q1FHERWS.2472L-3W	1.25″	75.5″	24"	\$777	

ESSENTIALS / WORKSURFACES

30" DEEP


PART #	HEIGHT	A	В	PRICE	NOTES
Q1FHERWS.3024L	1.25″	24"	30″	\$404	• N/A
Q1FHERWS.3030L	1.25″	30"	30″	\$463	
Q1FHERWS.3036L	1.25″	36"	30″	\$474	
Q1FHERWS.3042L	1.25″	42"	30″	\$569	
Q1FHERWS.3048L	1.25″	48″	30″	\$582	
Q1FHERWS.3054L	1.25″	54"	30″	\$661	
Q1FHERWS.3060L	1.25″	60″	30″	\$707	
Q1FHERWS.3066L	1.25″	66″	30″	\$790	
Q1FHERWS.3072L	1.25″	72"	30″	\$805	

30" DEEP - CONNECTOR SPANNING

PART #	HEIGHT	A	В	PRICE	NOTES
Q1FHERWS.3024L-3W	1.25″	27.5″	30″	\$536	• N/A
Q1FHERWS.3030L-3W	1.25″	33.5″	30″	\$594	
Q1FHERWS.3036L-3W	1.25″	39.5″	30"	\$605	
Q1FHERWS.3042L-3W	1.25″	45.5″	30"	\$700	
Q1FHERWS.3048L-3W	1.25″	51.5″	30″	\$712	
Q1FHERWS.3054L-3W	1.25″	57.5″	30″	\$793	
Q1FHERWS.3060L-3W	1.25″	63.5″	30″	\$840	
Q1FHERWS.3066L-3W	1.25″	69.5″	30″	\$921	
Q1FHERWS.3072L-3W	1.25″	75.5″	30″	\$937	

90° Corner

Notched



DESCRIPTION

Worksurface hangs from a panel or wall strips. It has a laminate top and a PVC edge. There is a 7/8 " gap at the back of the worksurface for plug and cord passage. It has 24"D or 30"D connecting sides.

SPECIFICATION OPTIONS

product #: See charts below worksurface finish: See page 9 edge finish: See page 9 support: See page 9

ORDER EXAMPLE

product #: Q1FHECWS.2436L worksurface finish: M1 Light Maple edge finish: M1 Light Maple support: E9 Cloud White

Options/Notes

• Includes one wire gromment, canitlever brackets, one corner bracket, and attachment hardware.


- *Corners are angled (not available with notched front edge)
- Mending plates are included with rectangular worksurfaces only.
- Order mending plates separately if placing this worksurface next to another non-rectangular worksurface.

90° NOTCHED CORNER

PART #	HEIGHT	A	В	PRICE	NOTES
Q1FHECWS.2436L	1.25″	*36″	24″	\$586	* Corners are angled (not available with notched
Q1FHECWS.2442L	1.25″	42"	24″	\$724	front edge)
Q1FHECWS.2448L	1.25″	48″	24″	\$766	
Q1FHECWS.3036L	1.25″	*36″	30″	\$651	
Q1FHECWS.3042L	1.25″	*42″	30″	\$786	
Q1FHECWS.3048L	1.25″	48″	30″	\$829	

90° Corner

Curved



DESCRIPTION

Worksurface hangs from a panel or wall strips. It has a laminate top and a PVC edge. There is a 7/8" gap at the back of the worksurface for plug and cord passage. It has 24"D or 30"D connecting sides.

SPECIFICATION OPTIONS

product #: See charts below worksurface finish: See page 9 edge finish: See page 9 support: See page 9

ORDER EXAMPLE

product #: Q1FHECCWS.2436L worksurface finish: M1 Light Maple edge finish: M1 Light Maple support: E9 Cloud White

Options/Notes

• Includes one wire gromment, cantilever brackets, one corner bracket, and attachment hardware.


- *Corners are angled (not available with notched front edge)
- Mending plates are included with rectangular worksurfaces only.
- Order mending plates separately if placing this worksurface next to another non-rectangular worksurface.


90° CURVED CORNER

PART #	HEIGHT	A	В	PRICE	NOTES
Q1FHECCWS.2436L	1.25″	36″	24″	\$586	* N/A
Q1FHECCWS.2442L	1.25″	42"	24″	\$724	
Q1FHECCWS.2448L	1.25″	48″	24″	\$766	
Q1FHECCWS.3036L	1.25″	36″	30″	\$651	
Q1FHECCWS.3042L	1.25″	42"	30″	\$786	
Q1FHECCWS.3048L	1.25″	48″	30″	\$829	

Half Circle

Worksurface





DESCRIPTION

This Half Circle worksurface has a notch and attaches to the end of two back to back rectangular or extended corner worksurfaces, and includes one support column leg. It has a laminate top and a PVC edge.

SPECIFICATION OPTIONS

product #: See charts below worksurface finish: See page 9 edge finish: See page 9 support: See page 9

ORDER EXAMPLE

product #: Q1FHEHCWS.50L worksurface finish: M1 Light Maple edge finish: M1 Light Maple support: E9 Cloud White

Options/Notes

- Support column leg has a leveling glide and attaching hardware
- Ships knocked down
- Column leg finish matches support.
- Mending plates are included with rectangular worksurfaces only.
- Order mending plates separately if placing this worksurface next to another non-rectangular worksurface.


HALF CIRCLE

PART #	HEIGHT	A	В	PRICE	NOTES
Q1FHEHCWS.50L	29″	52"	26″	\$1,101	
Q1FHEHCWS.60L	29″	60″	32"	\$1,242	

ESSENTIALS / WORKSURFACES

D-Shaped

Worksurface



DESCRIPTION

Worksurface hangs from a panel or wall strips. It has a laminate top and a PVC edge. There is a 7/8" gap at the back of the worksurface for plug and cord passage. Includes one support column leg.

SPECIFICATION OPTIONS

product #: See charts below worksurface finish: See page 9 edge finish: See page 9 support: See page 9

ORDER EXAMPLE

product #: Q1FHEDSP.2448L worksurface finish: M1 Light Maple edge finish: M1 Light Maple support: E9 Cloud White

Options/Notes

• Support column leg has a leveling glide and attaching hardware


- Ships knocked down
- Column leg finish matches support.
- Mending plates are included with rectangular worksurfaces only.
- Order mending plates separately if placing this worksurface next to another non-rectangular worksurface.

D-SHAPED

PART #	HEIGHT	A	В	PRICE
Q1FHEDSP.2448L	29″	48″	24″	\$664
Q1FHEDSP.3048L	29″	48″	30″	\$727
Q1FHEDSP.2460L	29″	60″	24″	\$738
Q1FHEDSP.3060L	29″	60″	30″	\$805
Q1FHEDSP.3072L	29″	72″	30″	\$880
Q1FHEDSP.3672L	29″	72″	36″	\$971

Transaction

Rectangular



DESCRIPTION

14"D Rectangular transaction worksurface attaches to the top of a panel. Ends are flush with the panel. It has a PVC edge.

product #: See charts below worksurface finish: See page 9 edge finish: See page 9 support: See page 9

ORDER EXAMPLE

product #: Q1FHERTS.1424LC worksurface finish: M1 Light Maple edge finish: M1 Light Maple support: E9 Cloud White

Options/Notes

• Attaches to the top of a panel for counter or display area.

- Includes transaction brackets and attachment hardware.
- Order without cutout, with cutout on one side, or with cutout on two sides
- Cutout is for use on the lower panel at a change of height, see application guide on page 17

RECTANGULAR TRANSACTION

PART #	HEIGHT	A	В	С	D	PRICE	NOTES
Q1FHERTS.1424L	1.25″	14″	24"	-	-	\$218	• N/A
Q1FHERTS.1430L	1.25″	14″	30"	-	-	\$253	
Q1FHERTS.1436L	1.25″	14″	36″	-	-	\$273	
Q1FHERTS.1442L	1.25″	14″	42"	-	-	\$326	
Q1FHERTS.1448L	1.25″	14″	48″	-	-	\$332	
Q1FHERTS.1460L	1.25″	14″	60"	-	-	\$384	
Q1FHERTS.1472L	1.25″	14″	72"	-	-	\$438	

RECTANGULAR TRANSACTION AT CHANGE OF HEIGHT ONE SIDE

PART #	HEIGHT	A	В	С	D	PRICE	NOTES
Q1FHERTS.1424LC	1.25″	14″	23.5″	-	-	\$218	• N/A
Q1FHERTS.1430LC	1.25″	14″	29.5″	-	-	\$253	
Q1FHERTS.1436LC	1.25″	14″	35.5″	-	-	\$273	
Q1FHERTS.1442LC	1.25″	14″	41.5″	-	-	\$326	
Q1FHERTS.1448LC	1.25″	14″	47.5″	-	-	\$332	
Q1FHERTS.1460LC	1.25″	14″	59.5″	-	-	\$384	
Q1FHERTS.1472LC	1.25″	14″	71.5″	-	-	\$438	


RECTANGULAR TRANSACTION AT CHANGE OF HEIGHT TWO SIDES

PART #	HEIGHT	A	В	С	D	PRICE	NOTES	
Q1FHERTS.1424LC2	1.25″	14″	23.5″	-	-	\$218	• N/A	
Q1FHERTS.1430LC2	1.25″	14″	29.5″	-	-	\$253		
Q1FHERTS.1436LC2	1.25″	14″	35.5″	-	-	\$273		
Q1FHERTS.1442LC2	1.25″	14″	41.5″	-	-	\$326		
Q1FHERTS.1448LC2	1.25″	14″	47.5″	-	-	\$332		
Q1FHERTS.1460LC2	1.25″	14″	59.5"	-	-	\$384		
Q1FHERTS.1472LC2	1.25″	14″	71.5″	-	-	\$438		45

ESSENTIALS / WORKSURFACES

Transaction

Corner



Options/Notes


- Attaches to the top of two 24", 30", 36", 42" or 48"W.
- Panels connected at a 90° angle for corner counter or display area
- Includes transaction brackets and attachment hardware.

CORNER TRANSACTION

PART #	HEIGHT	A	В	С	D	PRICE	NOTES
Q1FHECTS.24	1.25″	14″	32"	-	-	\$419	• N/A
Q1FHECTS.30	1.25″	14″	38″	-	-	\$557	
Q1FHECTS.36	1.25″	14″	44"	-	-	\$615	
Q1FHECTS.42	1.25″	14″	50″	-	-	\$866	
Q1FHECTS.48	1.25″	14″	56″	-	-	\$871	

Rectangular

Worksurfaces For Use w/ MY-HITE Base



Options/Notes

• Add circular grommet (add \$75 list) Specify GL, GC, GR

Order base separately from MY-HITE pricebook

• Note: Top size reduced 1" in depth and 2" in with to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation appplications.

23" DEEP

PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FHRWS.2340	-	40"	23"	\$380	Sizes are actual for example Q1FHRWS.2364
Q1FHRWS.2346	-	46"	23"	\$392	is 23" x 64"
Q1FHRWS.2352	-	52"	23"	\$463	
Q1FHRWS.2358	-	58"	23"	\$474	
Q1FHRWS.2364	-	64"	23"	\$545	
Q1FHRWS.2370	-	70"	23"	\$561	
Q1FHRWS.2376	-	76"	23"	\$684	
Q1FHRWS.2382	-	82"	23"	\$691	


29" DEEP

PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FHRWS.2940	-	40"	29"	\$449	Sizes are actual for example Q1FHRWS.2364
Q1FHRWS.2946	-	46"	29"	\$463	is 23" x 64"
Q1FHRWS.2952	-	52"	29"	\$547	
Q1FHRWS.2958	-	58"	29"	\$561	
Q1FHRWS.2964	-	64"	29"	\$650	
Q1FHRWS.2970	-	70"	29"	\$664	
Q1FHRWS.2976	-	76"	29"	\$818	
Q1FHRWS.2982	-	82"	29"	\$824	

ESSENTIALS / WORKSURFACES

Corner

Worksurfaces For Use w/ MY-HITE Base



DESCRIPTION

Corner worksurface top only, for use with height adjustable base within workstation application.

SPECIFICATION OPTIONS

product #: See charts below worksurface finish: See page 9 edge finish: See page 9 grommet: See page 18

ORDER EXAMPLE

product #: Q1FHRWS.2364 worksurface finish: M1 Light Maple edge finish: M1 Light Maple grommet: GL

Options/Notes

• Add circular grommet (add \$75 list) Specify GL or GR

• Order base separately from MY-HITE pricebook

• Note: Top size reduced 1" in depth and 2" in with to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation appplications.

23" DEEP


PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FHCWS.2340	-	40"	23"	\$626	 Sizes are actual for example Q1FHCWS.2346
Q1FHCWS.2346	-	46"	23"	\$662	is 23" x 46"


29" DEEP

PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FHCWS.2940	-	40"	29"	\$681	Sizes are actual for example Q1FHCWS.2940
Q1FHCWS.2946	-	46"	29"	\$715	is 29" x 40"

D-Shaped

Worksurfaces For Use with MY-HITE Base





DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

SPECIFICATION OPTIONS

product #: See charts below worksurface finish: See page 9 edge finish: See page 9 grommet: See page 18

ORDER EXAMPLE

product #: Q1FHEDSP.2346 worksurface finish: M1 Light Maple edge finish: M1 Light Maple grommet: GC (Rear Center)

Options/Notes


- Add grommet (add \$75 list) Specify GL, GC, GR
- Order base separately from MY-HITE pricebook
- Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation appplications.

D-SHAPED

PART #	HEIGHT	A	В	С	D	PRICE	NOTES
Q1FHEDSP.2346	1.25″	46"	23"	-	-	\$572	• N/A
Q1FHEDSP.2358	1.25″	58″	23"	-	-	\$638	
Q1FHEDSP.2946	1.25″	46"	29″	-	-	\$628	
Q1FHEDSP.2958	1.25″	58″	29"	-	-	\$697	
Q1FHEDSP.2970	1.25″	70″	29"	-	-	\$760	
Q1FHEDSP.3570	1.25″	70″	35″	-	-	\$839	

Square Post Leg

Supports



Options/Notes

• Use with frame and wall strip worksurfaces.

SQUARE POST LEG

P	ART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q	1FHSPL.2	27.5″	2"	2"	\$120	• Attaches to the underside of a worksurface and has
Q	1FHSPL.3	27.5″	3"	3"	\$170	an adjustable glide.Specify finish: DT, MT, CW

Support End Panel

Supports



DESCRIPTION

Provides support to the worksurface.

SPECIFICATION OPTIONS

product #: See charts below support finish: See page 9 support finish: See page 9 ORDER EXAMPLE

product #: Q1FHWSSEP.24-MEL support finish: M9 Cloud White edge finish: E9 Cloud White

Options/Notes

• Use with frame and wall strip worksurfaces.


SUPPORT END PANEL, MELAMINE



PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FHWSSEP.24-MEL	27.75″	1.25"	24"	\$431	 Attaches to a worksurface and a frame or wall strip.
Q1FHWSSEP.30-MEL	27.75″	1.25"	30"	\$483	

Square Metal P-Leg

Supports



DESCRIPTION

Provides support to the worksurface.

SPECIFICATION OPTIONS

product #: See charts below
support finish: See page 9


ORDER EXAMPLE

product #: Q1FHSMLS.24
support finish: CW Cloud White

Options/Notes


• Use with frame and wall strip worksurfaces.

SQUARE METAL P-LEG, SINGLE SUPPORT



	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
\mathbb{N}	Q1FHSMLS.24	27.75″	1.25"	24"	\$193	This support attaches to a worksurface and a frame
G	Q1FHSMLS.30	27.75"	1.25"	30"	\$219	or wall strip. It provides support for a single worksurface.
						 To convert from left handed to right handed, remove attachment brackets, and reinstall in the position needed.
						 Specify the depth of the worksurface support to match the depth of the worksurface.
						• Specify finish: DT, MT, CW


SQUARE METAL P LEG, DOUBLE SUPPORT



	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FHSMLD.24	27.75″	1.25"	24"	\$214	This support attaches to a worksurface and
//	Q1FHSMLD.30	27.75"	1.25"	30″	\$242	a frame or wall strip. It provides support for two worksurfaces.
						 Specify the depth of the worksurface support to match the depth of the worksurface.
~						• Specify finish: DT, MT, CW

Square Corner, Triangle Shape Leg

Supports



DESCRIPTION

Provides support to the worksurface.

SPECIFICATION OPTIONS

product #: See charts below
support finish: See page 9


ORDER EXAMPLE

product #: Q1FHTMLDS.24
support finish: CW Cloud White

Options/Notes

• Use with frame and wall strip worksurfaces.

SQUARE CORNER, TRIANGLE SHAPE LEG, SINGLE SUPPORT



	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FHTMLDS.24	27.75″	1.25"	24"	\$235	This support leg attaches to a worksurface and
-	Q1FHTMLDS.30	27.75″	1.25"	30"	\$265	a frame or wall strip. It provides support for a single worksurface.
						 To convert to a left or right support, remove the top bar and reinstall it in the desired position.
						 Specify the depth of the support leg to match the depth of the worksurface.
						 Includes all attachment hardware.

DEPTH

24″

30″

PRICE

\$251

\$287

• Specify finish: DT, MT, CW

SQUARE CORNER, TRIANGLE SHAPE LEG, DOUBLE SUPPORT



• This support leg attaches to a worksurface and a frame or wall strip.lt provides support for two worksurfaces.

NOTES

- Specify the depth of the support leg to match the depth of the worksurface.
- Includes all attachment hardware.
- Specify finish: DT, MT, CW

Taper Legs

Supports

DESCRIPTION

Taper Legs for use with the Novo workstation.

SPECIFICATION OPTIONS

product #: See charts below support finish: CW Cloud White, SV Silver, BU Black Umber ORDER EXAMPLE

product #: Q1FHATPL.24 support finish: CW Cloud White

Options/Notes

• Systems angled leg.

TAPER LEGS

		PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
		Q1FHATPL.24	27.5″	-	24"	\$671	Attaches to the underside of a worksurface
	//	Q1FHATPL.30	27.5″	-	30"	\$684	of a worksurface

Inset Legs

Supports

DESCRIPTION

Inset Legs for use with the Novo workstation.

SPECIFICATION OPTIONS

product #: See charts below support finish: CW Cloud White, SV Silver, BU Black Umber

ORDER EXAMPLE

product #: Q1FHAINL.24 support finish: CW Cloud White

Options/Notes


• Systems angled leg.

INSET LEGS

/	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FHAINL.24	27.5"	-	24"	\$565	Attaches to the underside of a worksurface
	Q1FHAINL.30	27.5"	-	30"	\$578	of a worksunace

Corner Bracket


Brackets



Options/Notes

• N/A

CORNER BRACKET



PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FHWSB.L	2.75″	-	2.5″	\$16	Attaches to the front corner of a hanging
Q1FHWSB.R	2.75"	-	2.5"	\$16	worksurface to provide additional support when the return panel matches the worksurface depth.
					 Also used as support


for the back corner of a corner worksurface. • Specify left or right.

• Color: Black

Right Handed shown


Flat Bracket

Brackets





DESCRIPTION This flat bracket is used to support two worksurfaces when a support leg or panel leg is inappropriate.



ORDER EXAMPLE

product #: Q1FHFB.18

Options/Notes


• N/A

FLAT BRACKET

PART #	HEIGHT	А	В	С	D	PRICE	NOTES	
Q1FHFB.18	3"	18″	-	-	-	\$55	• N/A	

Mending Plates

Brackets



DESCRIPTION

This Mending Plate is to be ordered if you're placing corner workstations next to other corner workstations without a rectangular worksurface return. Mending plate size is 1.5" x 2.5".

SPECIFICATION OPTIONS

product #: See charts below

ORDER EXAMPLE

product #: Q1FASS22-0-ZN

Options/Notes

Sold in pairs

MENDING PLATES

PART #	HEIGHT	A	В	С	D	PRICE	NOTES
Q1FASS22-0-ZN	-	-	-	-	-	\$7	• N/A

Anti-Sag Bars



PART #	WIDTH	LIST
QIFWASB.42	42"	\$120
QIFWASB.54	54"	\$153
QIFWASB.66	66"	\$185

- NOTES
 Anti-Sag bar, 42" wide with (8) screws. For use with 48 & 54" worktops
- Anti-Sag bar, 54" wide with (10) screws. For use with 60 & 66" worktops
- Anti-Sag bar, 66" wide with (12) screws. For use with 72 & 78" worktops

Components

DESCRIPTION

Components for the workstation.

SPECIFICATION C	PTIONS
-----------------	--------

product #: See charts below
finish: See page 9

ORDER EXAMPLE

product #: Q1FLED.20 finish: CW, Cloud White

LED TASKLIGHT

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES	
	Q1FLED.20	0.75″	20″	1″	\$293	Attaches beneath a shelf or	
	QIFLED.38	0.75″	38"	1"	\$370	 storage cabinet. It includes an LED light, motion sensor, power cord and installation hardware. The cord for the tasklight is 6 ft. long. 	
						• Has a pivot range of +/-15°.	
						 For overheads 24"-36" use FLED.20 	
						• For overheads 42" or wider use FLED.38	
						• Finish: Silver	
WIRE MANAGER							

PART # HEIGHT WIDTH DEPTH PRICE NOTES QIF2WM.24 24" 0.5" - \$28 • This Wire Manager is used to manage electrical cords vertically. It fits between side-by-side panels, or between a panel and a connector. • Finish: Black.

MESH WIRE MANAGER



	PART #	LENGTH	PRICE	NOTES
	Q1FFWM.18	18"	\$159	Wire manager mounts to the bottom of a worksurface to
	Q1FFWM.34	34"	\$159	manage cords
¥8-				 Finish: Black with red zipper

PENCIL DRAWER



	PART #	F	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
\langle	Q1FPD		1.875″	21.125″	16.25″	\$274	Stores small items.
							Attaches under worksurface.Includes attachment hardware.
							 Finish: DT Dark Tone, MT Medium Tone.

Tackboards



Options/Notes

• Includes attachment hardware.

- Two tackboards cannot be installed on panels at 90 degree, 120 degree, or 135 degree corners
- Passage and Terrain fabric not approved for this application

"B" STYLE TACKBOARD, SQUARE CORNERS, CURVED TOP & BOTTOM, 8.5" HIGH

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	GROUP 5 UPCHARGE
	Q1FHTAKBS.0924	8.5″	24"	-	\$112	\$13
	Q1FHTAKBS.0930	8.5″	30″	-	\$119	\$13
	Q1FHTAKBS.0936	8.5″	36″	-	\$135	\$15
	Q1FHTAKBS.0942	8.5″	42"	-	\$143	\$15
	Q1FHTAKBS.0948	8.5″	48"	-	\$152	\$15

"B" STYLE TACKBOARD, SQUARE CORNERS, CURVED TOP & BOTTOM, 15.5" HIGH

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	GROUP 5 UPCHARGE
_	Q1FHTAKBS.1624	15.5″	24"	-	\$207	\$22
	Q1FHTAKBS.1630	15.5″	30"	-	\$219	\$22
	Q1FHTAKBS.1636	15.5″	36″	-	\$230	\$24
	Q1FHTAKBS.1642	15.5″	42"	-	\$240	\$24
	Q1FHTAKBS.1648	15.5″	48″	-	\$255	\$26

Overheads and Shelves

DESCRIPTION

Metal shelf and overhead storage.

SPECIFICATION OPTIONS

product #: See charts below
support finish: See page 9

ORDER EXAMPLE

product #: Q1FHSHSH.0824
support finish: CW Cloud White

Options/Notes

• Two styles of profile available. Order to match sliding front overhead or pneumatic overhead.

STRAIGHT FRONT, HALF HEIGHT SHELF

PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FHSHSH.0824	7.5″	24″	13.5″	\$227	This shelf hangs from a frame or wall strips.
Q1FHSHSH.0830	7.5″	30"	13.5	\$238	 Includes attachment
Q1FHSHSH.0836	7.5″	36″	13.5″	\$264	hardware.Profile matches sliding
Q1FHSHSH.0842	7.5″	42"	13.5″	\$289	front overhead.
Q1FHSHSH.0848	7.5"	48″	13.5″	\$314	 Specify Finish.


SLIDING DOOR OVERHEAD CABINET

	PART #
	Q1FHSLOV
Till	Q1FHSLOV
	Q1FHSLOV
	Q1FHSLOV
	Q1FHSLOV
•	

PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FHSLOV.1624	15.5″	24"	14.25″	\$637	This lockable sliding door storage cabinet
Q1FHSLOV.1630	15.5″	30″	14.25″	\$698	hangs from a frame
Q1FHSLOV.1636	15.5″	36″	14.25″	\$760	or wall strips. Includes a painted
Q1FHSLOV.1642	15.5″	42"	14.25″	\$830	sliding door front, a lock and attaching
Q1FHSLOV.1648	15.5″	48″	14.25″	\$900	hardware. • Lock finish: Black

• Specify Finish.

UPMOUNT SLIDING OVERHEAD CABINET



PART #	HEIGHT	WIDTH	DEPTH	PRICE
Q1FHSLOVU.1624	15.5″	24"	14.25″	\$750
Q1FHSLOVU.1630	15.5″	30″	14.25″	\$1,004
Q1FHSLOVU.1636	15.5″	36″	14.25″	\$1,102
Q1FHSLOVU.1642	15.5″	42"	14.25″	\$1,195
Q1FHSLOVU.1648	15.5″	48"	14.25″	\$1,300

- NOTES • This lockable sliding door storage cabinet is upmounted on a panel.
- Includes a painted sliding door front, a lock and attaching hardware.
- Door locks on left side only.
- If specifying a standard (non-LED) tasklight, specify one size smaller than the cabinet size. For example, when ordering a 42" cabinet, specify a 36" standard tasklight.
- Lock Finish: Black
- Specify Finish.

RADIUS FRONT, HALF HEIGHT SHELF

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
S L	Q1FHPHSH.0824	7.5″	24"	16″	\$233	 This shelf hangs from a frame or wall strips.
	Q1FHPHSH.0830	7.5″	30″	16″	\$245	 Includes attachment hardware.
5	Q1FHPHSH.0836	7.5″	36″	16″	\$272	 Profile matches pneumatic overhead.
	Q1FHPHSH.0842	7.5″	42"	16″	\$290	Specify Finish.
	Q1FHPHSH.0848	7.5″	48"	16″	\$307	


PNEUMATIC OVERHEAD CABINET

н

PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOT
Q1FHPNOV.1624	15.5″	24″	16″	\$750	• Th wi
Q1FHPNOV.1630	15.5″	30″	16″	\$821	do
Q1FHPNOV.1636	15.5″	36″	16″	\$890	or • In
Q1FHPNOV.1642	15.5″	42"	16″	\$953	as an
Q1FHPNOV.1648	15.5″	48″	16″	\$1,029	• LE
					• Lo

- TES
 - This storage cabinet, with lockable pneumatic loor, hangs from a frame or wall strips.
 - ncludes pneumatic assist flipper door, a lock, and attaching hardware.
 - ED tasklight only.
 - Lock finish: Black
 - Specify Finish.

UPMOUNT PNEUMATIC OVERHEAD CABINET




PART #	HEIGHT	WIDTH	DEPTH	PRICE
Q1FHPNOVU.1624	15.5″	24"	16″	\$796
Q1FHPNOVU.1630	15.5″	30″	16″	\$881
Q1FHPNOVU.1636	15.5″	36″	16″	\$968
Q1FHPNOVU.1642	15.5″	42"	16″	\$1,064
Q1FHPNOVU.1648	15.5″	48″	16″	\$1,161

• This storage cabinet, with lockable pneumatic door, upmounts to the top of a panel.

NOTES

- Includes pneumatic assist flipper door, a lock, and attaching hardware.
- LED tasklight only.
- Lock Finish: Black
- Specify Finish.

Pedestals



Options/Notes

- Square drawer front
- Order side-to-side file bars
- Includes pencil tray in top drawer
- Bar Pull is the default pull; to order other pulls see upcharge below
- Specify pull when ordering
- Premium pulls have color options: specify color when ordering. See page 10
- Bar Pull will be shipped in box on ALL orders, premium pulls will ship separately
- If a cushion is placed on a full height mobile pedestal, it will not fit under a worksurface.

BOX / BOX / FILE PEDESTAL



	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FPEDSQP.BBF-MET	27"	15″	20"	\$831	 Supporting metal pedestal with lock, without top cap.
						Attaches to the underside of a worksurface.
	WEDGE, DESIGNER, SLANT O	R BU PULL			+ \$75	 Square drawer pulls, silver
-						color. Square drawer front.

- Order side to side file bars.
- Includes pencil tray in top drawer
- Specify pull when ordering
- Premium pulls have color options: specify color when ordering. (see page 10)



PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES			
Q1FPEDSQP.FF-MET	27"	15″	20"	\$831	 Supporting metal pedestal with lock, without top cap. 			
					Attaches to the underside of			
WEDGE, DESIGNER, SLANT	OR BU PULL			+ \$50	a worksurface. • Square drawer pulls, silver			
					color. Square drawer front.			
					 Order side to side file bars 			

- Order side to side file bars.
- Includes pencil tray in top drawer
- Specify pull when ordering
- Premium pulls have color options: specify color when ordering. (see page 10)


BOX / FILE PEDESTAL MOBILE



PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FPEDSQP.BF-MOB-MET	22"	15″	20″	\$912	Free-standing mobile pedestal with lock and with
					top cap.
WEDGE, DESIGNER, SLANT OF	BU PULL			+ \$50	 Square drawer pulls, silver color. Square drawer front.
					 Order side to side file bars.
					 Includes pencil tray in top drawer
					. Coopify oull when eveloping

 Specify pull when ordering • Premium pulls have color options: specify color when ordering. (see page 10)

BOX / BOX / FILE PEDESTAL MOBILE



urawer
 Specify pull when ordering
 Premium pulls have color
options: specify color when

ordering. (see page 10) If a cushion is placed on a full height mobile pedestal, it will

not fit under a worksurface.

FILE / FILE PEDESTAL MOBILE


	1	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
\sim		Q1FPEDSQP.FF-MOB-MET	27.25″	15″	20"	\$1,082	 Free-standing mobile pedestal with lock and with top cap.
							Square drawer pulls, silver
		WEDGE, DESIGNER, SLANT	OR BU PULL	+ \$50	color. Square drawer front.		
							 Order side to side file bars.
							 Includes pencil tray in top drawer
							 Specify pull when ordering
							 Premium pulls have color options: specify color when ordering. (see page 10)

If a cushion is placed on a full height mobile pedestal, it will not fit under a worksurface.

SIDE-TO-SIDE FILE BARS



Lateral Files



Options/Notes

- Freestanding 3- and 4-drawer lateral files must be bolted together or bolted to a wall.
- Specify pull when ordering.
- Premium pulls have color options: specify color when ordering. (See page 10)
- Bar Pull will be shipped in box on ALL orders, Premium Pulls will ship separately.

FREE-STANDING 2-DRAWER LATERAL FILE WITH TOP CAP



PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FLFSQP-2-30-MET	27.5″	30″	20″	\$1,492	Supporting lateral file with lock and finished top cap.
QIFLFSQP-2-36-MET	27.5"	36″	20″	\$1,810	 Square drawer pulls, silver color. Square drawer front.
WEDGE, DESIGNER, SLAN	I OR BU PULL			+ \$50	• Order front to back file bars.

- Order counterweight to convert to free-standing lateral file.
- Specify pull when ordering
- Premium pulls have color options: specify color when ordering. (see page 10)

PART #	USAGE	PRICE	NOTES	
Q1FLFCW-30	use with 30" W lateral file*	\$83	 Attaches securely to the inside back of the lateral file. 	
Q1FLFCW-36	use with 36" W lateral file**	\$125	 For use with 2-Drawer lateral files only. 	
			 [*] Includes one 20 lb counterweight 	
			• [**] Includes two 20 lb counterweights, for a total of 40 lbs of counterweight	

FRONT-TO-BACK FILE BARS

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FFB	3/8"	1 3/16″	15 11/16″	\$32	Front to back file bars.Package of two.
						 Order one package of two per drawer.
· ¥						Color: Black.

EXTENDED GLIDES	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FLFEG4.2				\$64	Lateral file extended glide 2", pack of 4, for use with metal 2 drawer
					lateral files.	
						Order (1) pack per lateral file.
<u>م</u>						No finish selection

DESCRIPTION

Workstation accessories.

SPECIFICATION OPTIONS

product #: See charts below
finish: See page 9

ORDER EXAMPLE

product #: Q1FTB.24 finish: CW


Options/Notes

• N/A

TOOL BARS

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FTB.24	3.5″	24"	0.75″	\$97	 Attaches to a panel of same width.
	Q1FTB.30	3.5″	30"	0.75″	\$119	Mounting hardware
	Q1FTB.36	3.5″	36″	0.75″	\$140	included. • Two tool bars cannot
	Q1FTB.42	3.5″	42"	0.75″	\$161	be installed at the same height on panels at 90
-	Q1FTB.48	3.5″	48″	0.75″	\$180	degree, 120 degree, or 135
						degree corners

FLAT PAPER TRAY



PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FFPT	3"	10″	12″	\$53	Order tool bar separately.

VERTICAL SINGLE TRAY

\wedge	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
	Q1FVST	8″	4″	12″	\$50	Order tool bar separately.

VERTICAL TRIPLE TRAY




PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
Q1FVTT	11″	12″	12″	\$99	Order tool bar separately.

CARPET GRIPPER

	PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
<u>R1.06″</u>	Q1FTCG	-	2.125"	-	\$8	 Plastic Gripper fits onto the adjustable glides of
$\overline{}$						panel.
						 Finish: Black
						 Do not use on hard surface flooring.

SINGLE MONITOR ARM



DUAL MONITOR ARM

No. of the second se	PART #	LIST		NOTES
	Q1FMA-D	\$982	2	CW, SV, BU Finish
				Includes attachment hardware for clamp, grommet and Verity track mount.
				Includes (2) USB ports, 6' cords

DESCRIPTION

All, overheads, credenzas and towers can be keyed alike

SPECIFICATION OPTIONS

ORDER EXAMPLE

product #: See charts below

product #: METAL1-KEY-ALIKE-4

Options/Notes

- Keyed-Alike Lock Cores are sold in sets of 4.
- Each set includes four Lock Cores, each with two keys, all with the same lock number.
- Lock core removal/change keys will need to be ordered separately.
- Additional Lock Core Removal Keys and Master Keys are available.

KEYED-ALIKE LOCKS

PART#	DESCRIPTION	PRICE
METAL1-KEY-ALIKE-4	Lock Core Keyed-Alike (set of 4) - Type 1 Metal Storage	\$192
METAL1-KEY-ALIKE-6	Lock Core Keyed-Alike (set of 6) - Type 1 Metal Storage	\$289
METAL1-FCK	Lock Core Change Key - Type 1 Metal Storage	\$28
METAL1-FMK	Lock Core Master Key - Type 1 Metal Storage	\$28
LAM1-KEY-CORE	Single Lock Core - Type 1 Laminate Storage	\$38 each