

## **TABLE OF CONTENTS**

## **INTRODUCTION**

Privacy Screen, Marker Board

Worksurface Mounted Screens, Clear

Worksurface Mounted Screens, Frosted

Worksurface Mounted Screens, Fabric

Privacy Screen, Laminate

Flyp Screens

57

58

59

60

61

62

Terms and Conditions	4
Standard Fabrics	7
Pattern Direction	8
Standard Finishes	9
MY-HITE	
Grommet Locations	10-15
Power Grommet	16
How to specify 2 piece tops	17
Mobile Pedestals	18
Flyp Screens	19
Freestanding Application	20
Workstation Application	21
Beam Application	22

3 STAGE SPECIFIC	
Base Application & Electrical Draw	23
Trough Cover Dimension	24
Recommended Top Application	25
Technical Specifications	26
2 STAGE SPECIFIC	
2 STAGE SPECIFIC Base Application & Electrical Draw	28
	28 29
Base Application & Electrical Draw	

## **BEAM**

How to order Beam	75
Worksurface Planning Guide	77
Beam Elevation Height	78
Beam Creep	79
Data Port Plate	80

SPECIFY 3 STAGE BASE		MOBILE PEDESTAL		SPECIFY BEAM	
Straight T-Leg	34	Mobile Pedestal	63	Beam Package with power & data cutouts	81
Straight C-Leg	35	Keyed Alike	64	Beam Package without cutouts	82
Corner T-Leg	36	, toyou , time	٠.	Supporting Post - Inline & End of Run	83
Corner C-Leg	37			Supporting Post - 2, 3, 4 Way	84
Corner T-Leg Post	38	MONITOR ARMS		Laminate Insert Package	85
Corner C-Leg Post	39	Monitor Arms	65	Gallery Panels	87
				Base Cover, non-powered	89
SPECIFY 2 STAGE BASE		TABLE POWER COMPONENTS		Beam Package Top Caps	90
Straight T-Leg	41	Power Grommet	66	Electrical Distribution	91
Corner T-Leg	42	Power Distribution	67	Beam Mounted Screens	93
WORKSURFACES FOR				Beam Hounted Screens	55
FREESTANDING APPLICATION		ACCESSORIES			
Rectangular	44			WORKSURFACES FOR USE WITH	ł
Corner	45	Wire Manager	68	BEAM	
90° Extended Curved Corner	46	Mesh Wire Manager	68	Rectangular	95
Rectangular Extension	49	Casters	68	Corner	96
D-Shaped	51	Conversion Kit	68	90° Extended Curved Corner	97
·		Desk Mounted Power Unit	69	Rectangular Extension	99
Wedge	52			D-Shaped	100
120° Corner / 90° Ends	53	SHIELD FREESTANDING PANELS		Wedge	101
120° Corner / 120° Ends	54	Freestanding Laminate Panel, Feet	70	120° Corner / 90° Ends	102
		Freestanding Laminate Panel, Casters	71	120° Corner / 120° Ends	102
PRIVACY SCREENS		Freestanding Markerboard Panel, Feet	72	120 Corner / 120 Erius	102
Modesty Panel, Laminate	55	Freestanding Markerboard Panel, Casters	73		
Privacy Screen, Fabric	56				

### **Terms and Conditions**

#### **PRICES**

Pricing is delivered, freight included to 48 contiguous states. Specific requirements apply, minimum order required, see freight policy for details. See complete freight rules and policy on www.friant.com.

#### **ORDERING**

Purchase Orders should be sent to orders@friant.com or faxed to (510) 535-6895. If your specifications were created with CAP, GIZA or Project Matrix, please send the worksheet (.SP4, or .SIF) with your Purchase Order.

#### **TERMS**

Net 30 days from date of invoice. Invoices are delinquent if not paid 30 days from date of invoice. In the event timely payment is not made, interest will be charged at the rate of 1.5% per month on delinquent accounts. Buyers will also be liable for normal collection costs and attorney's fee. 50% deposit is required with every order, unless prior arrangements have been made.

#### **ORDERS**

Orders are only accepted by issuance of our formal acknowledgment, and are subject to the terms set forth herein and on our order acknowledgment. It is the responsibility of the buyer to review our acknowledgment for accuracy.

#### LEAD TIME

Lead times are subject to availability, see www.Friant.com for details.

#### SHIPPING

Friant generally palletizes, boxes and/or shrink-wraps its products. If buyer requests additional packaging or special shipping, then it is responsible for any extra costs that result. Buyer obtains title to products and assumes the risk of loss for them upon shipment from Friant's plant.

#### **CLAIMS**

We are not responsible for damage suffered in transit. Merchandise should be inspected for possible freight damage upon delivery. The consignee should file for damage or shortages with the carrier within 5 days of delivery. You are also protected for "concealed damage" if you file claim with the carrier within 5 days of delivery. Buyer must make all claims against Friant for defects, errors or shortages in writing within 10 days after delivery. Failure to make such a claim shall constitute full acceptance.

#### **RETURNS**

No merchandise may be returned without our written consent and shipping instructions. Unauthorized returns will not be accepted and will be returned freight collect.

#### PARTIAL SHIPMENTS

We will make every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments, as merchandise is ready. Invoices covering these shipments are to be paid as they become due.

#### ORDER CHANGE/CANCELLATIONS

Our order confirmation is final and binding. Any order change or cancellation is subject to our ability to conform. For the most up to date information, always review the order change/cancellation policy online. Allowable changes within the posted policy must be made in writing.

#### SHIPMENT AND PREPAID FREIGHT

Unless otherwise instructed, we reserve the option to ship by what is, in our opinion, the best possible way. Upon request, we will prepay and add freight for accounts with established credit.

#### **DELIVERY**

We are not liable for delay or failure of delivery due to strikes and/or differences with workmen, war, riot, fire, compliance with government regulations, acts of nature, failure or delays of sources of supply, or any other causes beyond our control.

### STORAGE

If buyer cannot accept delivery when merchandise is ready, we reserve the right to transfer goods to storage. Costs of transfer and storage will be charged to the buyer's account, and we will deem such transfer as constituting shipment for all purposes, including invoicing, as of the date the transfer is made.

## **Terms and Conditions**

#### CONSTRUCTION - SPECIFICATIONS

All items are produced to price list specifications unless otherwise advised. All dimensions shown are approximate. Manufacturer reserves the right to make modifications and/or improvements without prior notice.

#### **FABRIC APPLICATION**

Standard fabric application is non-directional. Friant & Associates is not responsible for charges associated with replacement of products due to incorrect specifications. Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally. See individual pricebook specifications for details.

#### **CUSTOMER'S OWN MATERIAL**

Yardage requirement is based on 66" wide plain covering material, and must be increased if less than 66" wide. Special instructions for handling material (pattern, directional fabric, right side of reversible fabric, etc.) must be submitted in writing before fabric is delivered. In the absence of special instructions, we reserve the right to use our own judgment. We reserve the right to reject any covering, which in our opinion, is unsuitable for our upholstery purposes. However, in no instance shall we be held responsible for unsatisfactory results due to use of covering unsuitable for our upholstery methods.

We will not be responsible for errors caused by buyers not supplying us with sample cuttings attached to their order giving full identification of covering material, (name of supplier, covering name, number and color) for identification purposes and advising us of model number and quantity to which each cover is to be applied.

Customer's own material that is shipped freight collect will be refused. A service charge will be applied for the return of unusable C.O.M. Contact factory.

#### **RIGHTS AND WARRANTIES - 5 YEARS**

This warranty is given to the initial purchaser and is valid from the date of purchase, for as long as the initial purchaser owns the product. This warranty covers defects in material and craftsmanship found during normal usage of the product during the warranty period. Normal usage is defined by 8 hour shifts in the product's intended application and in an indoor environment that conforms to the ANSI/ASHRAE Standard 55: Thermal Environmental Conditions for Human Occupancy (relating to air temperature, mean radiant temperature, air velocity, clothing insulation, metabolic rate, and humidity). Friant's warranty does not cover usage other than normal usage as defined in the previous sentence. If the product is defective, and if written notice of the defect is given to Friant & Associates within the applicable warranty period, Friant & Associates, at its option, will either repair or replace the defective product with a comparable component or product. This warranty applies to all products except as noted below.

The following exceptions to the limited 5 year warranty apply: All Motors and electrical components are warranted for 5 years.

High wear parts, such as wood veneer, fabrics, laminates and other covering material/finishes, foam. glides, etc. are warranted for one (1) year. This warranty does not apply to damage caused by a carrier, alteration to the product not expressly authorized by Friant & Associates, nor to product considered to be of a consumable nature such as bulbs, light ballasts, etc. It also does not apply to "Customer's Own Material" (i.e. material specified by the customer that is not a standard Friant & Associates offering) used in the manufacture of Friant & Associates products.

Our warranty for LED lights is 2 years.

Friant & Associates does not warrant the matching of colors, grain or texture, except to within commercially acceptable standards. This includes normal variations between dye lots (fabrics).

A product will not be considered defective, and Friant & Associates will not be obligated to replace it, if it is not installed in a proper manner (i.e. product not leveled, not secured properly, etc.) or if it is not used in a manner and/or in an environment that constitutes normal usage, as defined above.

This warranty does not apply to items subjected to abuse, misuse, neglect, alteration, or damage caused by shipment, storage, accident, fire, food or an act of nature

Except as noted above, Friant & Associates makes no express or implied warranties to any product, and in particular makes no warranty of fitness for any particular use. At Friant & Associates' option, product repair and replacement is the customer's exclusive remedy for any and all product defects.

Please request written authorization before returning defective parts to Friant, returned defective parts will not be accepted without prior written authorization. Labor and service are not covered under this warranty.

Friant & Associates shall not be liable for consequential, economic, or incidental damages arising from any product defect.

## **Terms and Conditions**

#### **CALIFORNIA PROP 65 WARNING**

Products in this catalog can expose you to chemicals including wood dust, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to https://www.p65warnings.ca.gov/products/furniture-products."

#### CARE

Friant products are CARB 93120 compliant for formaldehyde (phase 2)

#### **TSCA TITLE VI**

Friant products are TSCA Title VI Compliant

#### MAS

Accredited Compliance Designation - ANSI/BIFMA x7.1 & e3-2014 7.6.1, 7.6.2, 7.6.3 California Dept. Of Public Health Standard Method v1.2 Conforms With: LEED v4 Criteria of MAS Certified Green \* Program

## **Standard Fabrics**

JOURNEY	,	TERRAIN		SLIDE		SILKY		SKY	
PF801-1	Quest	PF701-1	Cloud	PF101-1	Caramel	PF401-1	Natural	PF301-1	Terra
PF801-2	Voyage	PF701-2	Dusk	PF101-2	Slate	PF401-2	Parids	PF301-2	Birch
PF801-3	Transit	PF701-3	Wave	PF101-3	Pewter	PF401-3	Overcast	PF301-3	Moss
PF801-4	Amble	PF701-4	Earth	PF101-7	Java	PF401-5	Graphite		
PF801-5	Odyssey			PF101-9	Sterling				
PF801-6	Caravan			PF101-10	Crema				
PF801-7	Expedition			PF101-13	Mustard				
PF801-8	Wayfare			PF101-14	Avocado				
				PF101-15	Pumpkin				
				PF101-16	Ocean				
				PF101-17	Blueberry				
				PF101-18	Cardinal				
				PF101-19	Flamingo				
				PF101-20	Serenity				
				PF101-21	Azure				
				PF101-22	Orchid				
				PF101-23	Plum				
				PF101-24	Raven				

LIMITED AVAILABILITY						
SLIDE		STICKS			PASSAGE	
PF101-4	Verde	PF501-3	Sage		PF601-5	Leaf
PF101-6	Vintage				PF601-8	Amber
PF101-8	Latte					


Fabric is scheduled for discontinuation when inventory is exhausted. Please contact Customer Success for current stock levels. After discontinuation fabric will be available with extended lead time, subject to minimum yardage requirements.

#### NOTES:

- · Passage and Terrain are not available on acoustical panels, pedestal cushions, tackboards or fabric screens.
- Please refer to the Fabric Direction Section in the Materials Reference Guide on the Dealer Resource Center for more details: <a href="http://dealers.friant.com/dealers/product-literature/">http://dealers.friant.com/dealers/product-literature/</a>
- Order fabric / finish sample online at www.friant.com
- Colors may vary slightly between dye lots.

## **Pattern Direction**

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to our Materials Reference Guide on the Dealer Resource Center for specific pattern application defaults on all of our products: <a href="http://dealers.friant.com/dealers/product-literature/">http://dealers.friant.com/dealers/product-literature/</a>
- Our Customer Success Team is happy to answer any questions regarding fabric direction.



## **Standard Finishes**

For matching edge PVC, please read across matrix.

W	DRKSURFACE LAMINATES		EDGE LAMINATES (3MM PVC)
M1	Light Maple	E1	Light Maple
M2	Light Cherry	E2	Light Cherry
М3	Medium Cherry	E3	Medium Cherry
M4	Dark Mahogany	E4	Dark Mahogany
M6	Light Gray	E6	Light Gray
M9	Cloud White	E9	Cloud White
M10	Espresso	E10	Espresso
M11	Light Walnut	E14	Light Walnut
M12	Medium Walnut	E15	Medium Walnut
M13	Licorice	E13	Licorice
M14	Carob	E17	Carob
M16	Tundra	E19	Tundra
M18	Capitan	E21	Capitan
M19	Fog	E22	Fog
M20	Sandstone	E23	Sandstone
M23	Bark	E26	Bark
M25	Winter	E28	Winter
M26	Storm	E29	Storm
M27	Medium Ash	E30	Medium Ash
M28	Arctic	E31	Arctic
M29	Raven	E32	Raven
M30	Barley	E33	Barley
M31	Camel	E34	Camel
	or other worksurface finish, please	*Comp	limentary Edge Finishes
CONTACT	our Customs team	E8	Black Umber
		E11	Medium Tone
		E12	Dark Tone
			mentary edge finishes have ct laminate match available

## Order samples at www.friant.com/samples

Please Note: Images are printed simulations and are not exact matches of finished product. Please request an actual sample from Friant or your sales consultant before specifying finishes.

#### **PAINT TRIM**

CW Cloud White

BU Black Umber

SV Silver

### STANDARD GROMMET FINISHES

**CW** Cloud White

**BU** Black Umber

**SV** Silver

### **POWER GROMMET FINISHES**

**BA** Brushed Aluminum

**BC** Brushed Charcoal

**CW** Cloud White

#### **FOAM CUSHION**

Red

Charcoal

Café

Grey

### **COLOR PEDESTAL TOP**

Green

Blue

Red

## **Grommet Locations, My-Hite Tops**



## Select a My-Hite worksurface


My-Hite tops (see page 44) offer optional grommets. (Please use the codes shown when specifying location of grommets). An upcharge of \$75 applies per grommet.





## Select a grommet location, Rectangular Tops

Specify location by using the designated codes



CODE	POSITION
GL	4" from left side - 4" from rear
GC	Centered from side to side - 4" from rear
GR	4" from right side - 4" from rear
G1	Pair of grommets, GL and GR
G5	Three grommets, GL-GC-GR

Dimensions are measured from grommet center


For other grommet locations, please call Friant customer success.

Grommets are 3" round with cover standard




## Select a grommet location, Extended Corner Tops

Specify location by using the designated codes



#### Extended Corner, Left Handed

CODE	POSITION
GL	4" from left side - 4" from rear
GC	Centered from side to side - 4" from rear
GCOR	Corner, 4" from Rear
GSR	4" from right side - 4" from rear



## Extended Corner, Right Handed

CODE	POSITION
GCOR	Corner, 4" from Rear
GC	Centered from side to side - 4" from rear
GR	4" from right side - 4" from rear
GSL	4" from left side - 4" from rear

Dimensions are measured from grommet center

For other grommet locations, please call Friant customer success.


Grommets are 3" round with cover standard

#### Grommet Locations cont'd



## Select a grommet location, D-Shaped Tops

Specify location by using the designated codes



CODE	POSITION
GC	Centered from side to side - 4" from rear


Dimensions are measured from grommet center

For other grommet locations, please call Friant customer

Grommets are 3" round with cover standard



## Select a grommet location, 120° Tops Specify location by using the designated codes



CODE	POSITION
120GL	4" from left side - 4" from rear
120GCOR	Corner - 4" from rear
120GR	4" from right side - 4" from rear


Dimensions are measured from grommet center

For other grommet locations, please call Friant customer

Grommets are 3" round with cover standard



## Select a grommet location, 90° Equal Corners Specify location by using the designated codes



CODE	POSITION
GSL	4" from left side - 4" from rear
GCOR	Corner - 4" from rear
GSR	4" from right side - 4" from rear

Dimensions are measured from grommet center

For other grommet locations, please call Friant customer success.

Grommets are 3" round with cover standard

## Power Grommet Locations - Notch Cutouts, My-Hite Worksurfaces

FRIANT Power Grommet notch cutouts are required when specifying a Power Grommet on a worksurface supported by a My-Hite C-Leg adjustable height table base. Choose the size of power grommet (5x8 only) and cutout location (left, center or right). Specify Power Grommets on page 14. An upcharge of \$75 applies for cutouts.


NOTE: Notch cutouts only available with 5x8 Power grommets and C-leg bases.

## Select a My-Hite worksurface


My-Hite worksurfaces (starting on page 44)


## 2 Select a power grommet notch cutout location

CODE	POSITION
PG5L-C	11" from left side
PG5C-C	Centered
PG5R-C	11" from right side










## 120° and 90° worksurfaces


CODE POSITION (Specific to 120° and 90°)

PG5L-C 4.5" from left side
PG5R-C 4.5" from right side

## Positions for 120° worksurfaces:



## Positions for 90° equal corner worksurfaces:



## Power Grommet Locations - Interior Cutouts, My-Hite Worksurfaces

FRIANT Power Grommet interior cutouts are used when specifying a Power Grommet on a worksurface supported by a My-Hite T-Leg adjustable height table base. Choose the size of power grommet (5x8 or 6x8) and cutout location (left, center or right). Specify Power Grommets on page 16. An upcharge of \$75 applies for cutouts.


NOTE: Standard position Interior cutouts are not compatible with C-leg bases.


## 1 Select a My-Hite worksurface


My-Hite worksurfaces (starting on page 44)

## Select a power grommet interior cutout location

CODE	POSITION
PG6L	11" from left side, 1.5" from back
PG6C	Centered, 1.5" from back
PG6R	11" from right side, 1.5" from back
PG5L	11" from left side, 1.5" from back
PG5C	Centered, 1.5" from back
PG5R	11" from right side, 1.5" from back









## 120° and 90° worksurfaces

CODE	POSITION (Specific to 120° and 90°)		
PG6L	4.5" from left side, 1.5" from back		
PG6R	4.5" from right side, 1.5" from back		
PG5L	4.5" from left side, 1.5" from back		
PG5R	4.5" from right side, 1.5" from back		

## Positions for 120° worksurfaces:



## Positions for 90° equal corner worksurfaces:



## **Power Grommet**

**3 FINISHES AVAILABLE** 

FRIANT power grommets are available to meet different worksurface power and data needs. Choose the color of the power grommet (brushed aluminum, brushed charcoal, or cloud white). Specify power grommets on page 66.


### **POWER GROMMETS**

#### 6x8

- (2) CAT6 Data Ports
- (4) Power Outlets
- (2) USB Ports

### 5x8


- (2) CAT6 Data Ports
- (3) Power Outlets




## How To Specify My-Hite 2-Piece Extended Corner or Rectangular Tops


Use a FVFB.08 Flat Bracket pair to attach the two surfaces, making sure the seam is oriented so that it is supported by the continuous part of the My-Hite Corner Base. Maximum width combined: 84x84" (All My-Hite bases) or 72x96" (3 Stage base only). Specify the Rectangular Extension on page 99.


To create an extended corner My-Hite station, specify an Extended Curved Corner with a Rectangular Extension.






To create a two piece rectangular corner top, specify two rectangular tops, or a rectangular top and one rectangular extension.









## **Mobile Pedestals**


My-Hite pedestals are a compact storage option designed to fit under height adjustable tables at their lowest setting. Choose the color of the pedestal, and, as options, the color of the foam cushion and the color of the top cap. Pedestals include pencil tray, mail slot and keyed alike options for locks. Front to back file bars are included.






## **Flyp Screens**

Flyp screens are PET screens that mount to the underside of any worksurface. Screens are sold individually, and can be combined and configured in several ways.



#### **FLYP SCREEN DIMENSIONS**

Flyp screens are sized to match the width of **REDUCED SIZE TOPS**. When used with full sized tops, there is a gap. Flyp side screens are 23.5" wide, on 23" deep tops, the screen will overhang past the worksurface slightly. Please see below for dimensions.




## Freestanding Application Example of My-Hite

## As a Standalone

- Order Base (page 34)
- Order Top (page 44)

Note: Dimensions are actual for standalone tops



## Freestanding Workstation Example

Base: FSQAHBT-24-3

3 stage base range 24.5"-50", page 34

• Worktop: FSQAHT-2472

Rectangular worksurface, page 44

• **Privacy Screen:** FPSFLUSH.2472

Fabric covered privacy screen, page 56

• Credenza: FCREDSQAP.48L


Freestanding credenza, Novo Pricebook, page 82

## Workstation Application Example of My-Hite (Interra)

## As part of a Workstation

- Order Base (page 34 or 41)
- Order Top within System Pricebook
  - System 2 Novo - Dash - Interra
  - Verity

**Note:** Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation appplications.



### **Interra Workstation Example:**


- Base: FCNAHB-24-3 3 stage base range 24.5"-50", page 36
- Worksurface: FIECCWS.29467029 L/R
  Corner worksurface top only. For use with height adjustable base within workstation application Interra Pricebook, page 70

## Beam Application Example of My-Hite

## With Beam Application

- Order Base (page 34 or 41)
- Order Top (page 95)

**Note**: Top size reduced 1" in depth and 2" in width to fit with beam application and prevent pinch points. See page 95. We do not recommend using full size worktops with beam application.




## Beam Workstation Example:

- Base: Straight Base 3 stage base range 24.5"- 50", page 34
- Worksurface: FBRWS.2370 Straight worksurface top only. For use with height adjustable base within beam application.- page 95

## Base Application — 3 stage

Worksurface depth




## Electrical Draw of My-Hite — 3 stage

TABLE	MOTION	WATTS	AMPS
ONE (1) ADJUSTABLE TABLE	START UP DRAW	-	< 5 AMP
ONE (1) LOADED ADJUSTABLE TABLE	RUNNING DRAW	360W	4.16 AMP
ONE (1) EMPTY ADJUSTABLE TABLE	RUNNING DRAW	200W	2.08 AMP
ONE (1) ADJUSTABLE TABLE (NOT IN MOTION)	DRAW	-	0 AMP


## Trough Cover Dimensions — 3 stage


Fixed trough cover is 2.5" tall and 8" deep

T Style Base 72" wide tops shown



C Style Base 72" wide tops shown





30" D top on 24"D base


## Recommended Top Application — 3 stage

### Corner Worksurfaces




## 120° Tops


NOTES: 120° corners - use straight base on 36" and 42" wide worksurfaces. Use corner base on worksurfaces 48" or larger.







42" Top (Straight Base)




48" Top (Corner Base)




## 90° Tops


NOTES  $90^{\circ}$  corners - use straight base on 48" worksurfaces only. Use corner base on 42" or extended corners.



42" Top (Corner Base)



48" Top (Straight Base)



72X72" Top (Corner Base)

## Technical Specifications -3 Stage

Straight Legs

See pages 34-35

Display	Digital display with three programmable presets
Foot Length in inches	22" and 28" available for 24" and 30", 36" worksurfaces
Legs	3 stage, available as as T or C leg
Leg Post Size	2.75" x 2.75"
Height range (excluding top)	24.5"- 50"
Frame width expansion	Width extendable 38"- 68" in 1 mm increments
Worksurface widths	42" - 84", See pages 44 to 54
Worksurface depths	24", 30" and 36", See pages 44 to 54
Power Cord Length	9'
Max lifting capacity	220 lbs
Base weight without top	62 lbs
Gauge of Steel	Inner/Middle tubes: 2mm / Outer tube 2mm = 12 gauge
Speed	40 mm/s
Table Not In Motion, Electrical Draw	0 W
Loaded Running Table, Electrical Draw	200/360 W
UL	UL962

## Technical Specifications — 3 Stage


Corner

See pages 36 to 39

Display	Digital display with three programmable presets
Foot Length in inches	22" and 28" available for 24" and 30", 36" worksurfaces
Legs	3 stage, available as as T or C leg
Leg Post Size	2.75" x 2.75"
Height range (excluding top)	24.5"- 50"
Frame width expansion	Width extendable 38"- 68" in 1 mm increments
Worksurface widths	42" - 84", See pages 44 to 54
Worksurface depths	24", 30" and 36", See pages 44 to 54
Power Cord Length	9'
Max lifting capacity	330 lbs
Base weight without top	90 lbs
Gauge of Steel	Inner/Middle tubes: 2mm / Outer tube 2mm = 12 gauge
Speed	40 mm/s
Table Not In Motion, Electrical Draw	0 W
Loaded Running Table, Electrical Draw	200/360 W
UL	UL962

## Base Application -2 stage

## Worksurface depth





## Electrical Draw of My-Hite — 2 stage

TABLE	MOTION	WATTS	AMPS
ONE (1) ADJUSTABLE TABLE	START UP DRAW	400W	< 5 AMP
ONE (1) LOADED ADJUSTABLE TABLE	RUNNING DRAW	400W	3 AMP
ONE (1) EMPTY ADJUSTABLE TABLE	RUNNING DRAW	200W	1.5 AMP
ONE (1) ADJUSTABLE TABLE (NOT IN MOTION)	DRAW	.3W	0 AMP


## Understructure Dimensions — 2 stage

2 Stage Base 72" wide tops shown





24" D top on 2 Stage




30" D top on 2 Stage base


## Recommended Top Application — 2 stage

Certain sizes of My-Hite tops can be used with 2 stage bases. See below for additional information.


## Rectangular (Straight Base)



120° Corner (Straight Base)



90° Corner (Straight Base)



Depth: 23"/24", 29"/30" Width: Min - 42" (no 40")

Max - 84"


Depth: 23"/24"

Width: Min - 36" (no 34")


Max - 40"/42"

Depth: 23"/24", 29"/30" Width: Min - 46"/48" only


## Two Piece Rectangular (Corner Base)



Two Piece Extended Curved Corner (Corner Base)



120° Corner (Corner Base)



Depth: 23"/24", 29"/30"

Width: Min - 48"x48"

Max - 84"x84"

Depth: 23"/24", 29"/30" Width: Min - 48"x48"

Max - 84"x84"

Depth: 23"/24"

Width: Min - 42"x42" (no 40")

Max - 72"x72"

## Technical Specifications -2 stage

Straight Legs See page 41

Display	Digital display with four programmable presets
Foot Options	24" ONLY
Legs	T LEG
Leg Post Size	2.72" × 2.72"
Height range(excluding top)	27"- 45.5"
Frame width expansion	Width extendable 41"- 74" in 1mm increments
Worksurface widths	42"- 84"
Worksurface depths	24" - 30"
Max lifting capacity	260 lbs
Base weight without top	66 lbs
Gauge of Steel	Inner/Middle tubes:1.5mm/Outer tube 1.5mm
Speed	36mm/s
Table Not in Motion,Electrical Draw	.3 W
Loaded Running Table, Electrical Draw	400W
Decibel Rating	50 db
Power Cord	10' cord - 3 PRONG PLUG
Finishes	CW, BU, SV
UL	UL962
Warranty	5 YEARS

## **Technical Specifications for Bases - 2 stage**

Corner Legs

See page 42

See page 42	
Display	Digital display with four programmable presets
Foot Options	24"
Legs	T LEG
Leg Post Size	2.72" x 2.72"
Height range(excluding top)	27"- 45.5"
Frame width expansion	L: 40"- 62" / R:40"- 62"
Worksurface widths	48" - 84"
Worksurface depths	24" - 30"
Max lifting capacity	330 lbs
Base weight without top	85lbs
Gauge of Steel	Inner/Middle tubes:1.5mm/Outer tube 1.5mm
Speed	36mm/s
Table Not in Motion,Electrical Draw	.3 W
Loaded Running Table,Electrical Draw	400W
Decibel Rating	50 db
Power Cord	10' cord - 3 PRONG PLUG
Finishes	CW, BU, SV
UL	UL962
Warranty	5 years

# SPECIFY 3 STAGE

## **Straight T-Leg Base**

## 3 stage



#### DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50"

#### NOTES

- Order worksurface separately
- Base adjusts 38" to 68" wide
- Maximum recommended top: 84"
- Minimum recommended top: 40"
- Weight load 220 lbs
- Fixed trough cover see page 24
- Maximum recommended overhang of 12"

#### SPECIFICATION OPTIONS

product #: see charts below
base finish: page 9

ORDER EXAMPLE

product #: FSQAHBT-24-3
base finish: SV Silver

#### STRAIGHT BASE

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FSQAHBT-24-3	24.5" - 50"	40"-68"	24"	\$1,738
FSQAHBT-30-3	24.5" - 50"	40"-68"	30"	\$1,738

#### RECOMMENDED APPLICATION

- Order 24" base for use with 30" deep worksurfaces
- Order 30" base for use with 36" deep worksurfaces
- Minimum worksurface width: 40"
- Maximum recommended worksurface width: 84"
- 120° corners use straight base on 36" and 42" wide worksurfaces
- 90° corners, equal or extended use corner base, page 25 (exception: 90° 48" top uses straight base, see images)

## Straight C-Leg Base

## 3 stage



### DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50"

#### NOTES

- Order worksurface separately
- Base adjusts 38" to 68" wide
- Maximum recommended top: 84"
- Minimum recommended top: 40"
- Weight load 220 lbs
- Fixed trough cover see page 24
- Maximum recommended overhang of 12"

#### SPECIFICATION OPTIONS

product #: see charts below base finish: page 9

#### ORDER EXAMPLE

product #: FSQAHBC-24-3
base finish: CW Cloud White

#### STRAIGHT BASE


PART #	HEIGHT	WIDTH	DEPTH	PRICE
FSQAHBC-24-3	24.5" - 50"	40"-68"	24"	\$1,738
FSQAHBC-30-3	24.5" - 50"	40"-68"	30"	\$1,738

#### RECOMMENDED APPLICATION

- Order 24" base for use with 30" deep worksurfaces
- Order 30" base for use with 36" deep worksurfaces
- Minimum worksurface width: 40"
- Maximum recommended worksurface width: 84"
- 120° corners use straight base on 36" and 42" wide worksurfaces
- 90° corners, equal or extended use corner base, page 25 (exception: 90° 48" top uses straight base, see images)

## **Corner T-Leg Base**

## 3 stage



#### DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50"

#### NOTES

- Includes (3) T-Leg bases at the ends and middle of the worksurface
- Order worksurface separately
- Base is: **B** 34"-54"
  - **A** 38"-68"
- Minimum recommended top: 34x40"
- Maximum recommended top: 72x96" or 84x84"
- Rebound function may loose sensitivity on larger tables
- Weight load 331 lbs
- Fixed trough cover see page 24
- Maximum recommended overhang of 12"

#### SPECIFICATION OPTIONS

product #: see charts below
base finish: page 9

ORDER EXAMPLE


product #: FCNAHBT-24-3
base finish: CW Cloud White

#### **CORNER BASE**

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FCNAHBT-24-3	24.5" - 50"	40"-68"	24"	\$2,500	Order 24" base for use with 30" deep worksurfaces
FCNAHBT-30-3	24.5" - 50"	40"-68"	30"	\$2,500	<ul> <li>Order 30" base for use with 36" deep worksurfaces</li> <li>120° corners - use corner base on 48" wide worksurfaces</li> <li>90° corners - use corner base on 42" corner worksurfaces and all size extended corner worksurfaces</li> <li>My-Hite bases are not for use with 36"x36" 90° corner worksurfaces</li> <li>See page 25 for details</li> </ul>
					See page 25 for details

# **Corner C-Leg Base**

# 3 stage



### DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50"

### NOTES

- Includes (3) C-Leg bases at the ends and middle of the worksurface
- · Order worksurface separately
  - Base is: **B** 34"-54"
    - **A** 38"-68"
- Minimum recommended top: 34x40"
- Maximum recommended top: 72x96" or 84x84"
- Rebound function may loose sensitivity on larger tables
- Weight load 331 lbs
- Fixed trough cover see page 24
- Maximum recommended overhang of 12"

### SPECIFICATION OPTIONS

product #: see charts below
base finish: page 9

ORDER EXAMPLE


product #: FCNAHBC-24-3
base finish: CW Cloud White

### **CORNER BASE**

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FCNAHBC-24-3	24.5" - 50"	40"-68"	24"	\$2,500	Order 24" base for use with 30" deep worksurfaces
FCNAHBC-30-3	24.5" - 50"	40"-68"	30"	\$2,500	<ul> <li>Order 30" base for use with 36" deep worksurfaces</li> <li>120° corners - use corner base on 48" wide worksurfaces</li> <li>90° corners - use corner base on 42" corner worksurfaces and all size extended corner worksurfaces</li> <li>My-Hite bases are not for use with 36"x36" 90° corner worksurfaces</li> <li>See page 25 for details</li> </ul>

# **Corner T-Leg Post Base**

# 3 stage



### DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50"

### NOTES

- Includes (2) T-Leg bases at the ends and
   (1) Post Leg in the center
- Order worksurface separately
- Base is: **B** 34"-54"
  - **A** 38"-68"
- Minimum recommended top: 34x40"
- Maximum recommended top: 72x96" or 84x84"
- Rebound function may loose sensitivity on larger tables
- Weight load 331 lbs
- Fixed trough cover see page 24
- · Maximum recommended overhang of 12"

### SPECIFICATION OPTIONS

product #: see charts below base finish: page 9

ORDER EXAMPLE

product #: FCNPAHBT-24-3
base finish: CW Cloud White

### **CORNER BASE**


PART #	HEIGHT	WIDTH	DEPTH	PRICE
FCNPAHBT-24-3	24.5" - 50"	40"-68"	24"	\$2,500
FCNPAHBT-30-3	24.5" - 50"	40"-68"	30"	\$2,500

### RECOMMENDED APPLICATION

- Order 24" base for use with 30" deep worksurfaces
- Order 30" base for use with 36" deep worksurfaces
- 120° corners use corner base on 48" wide worksurfaces
- 90° corners use corner base on 42" corner worksurfaces and all size extended corner worksurfaces
- My-Hite bases are not for use with 36"x36" 90° corner worksurfaces
- See page 25 for details

# **Corner C-Leg Post Base**

### 3 stage



DESCRIPTION

Electric height 3 stage adjustable base range 24.5"-50"

### NOTES

- Includes (2) C-Leg bases at the ends and (1) Post Leg in the center
- Order worksurface separately
- Base is: **B** 34"-54"
  - **A** 38"-68"
- Minimum recommended top: 34x40"
- Maximum recommended top: 72x96" or 84x84"
- Rebound function may loose sensitivity on larger tables
- Weight load 331 lbs
- Fixed trough cover see page 24
- Maximum recommended overhang of 12"

### SPECIFICATION OPTIONS

product #: see charts below
base finish: see page 9

ORDER EXAMPLE

product #: FCNPAHB-24-3
base finish: CW Cloud White

### **CORNER BASE**

PART #	HEIGHT	WIDTH DEPT 40"-68" 24" 40"-68" 30"	DEPTH	PRICE
FCNPAHBC-24-3	24.5" - 50"	40"-68"	24"	\$2,500
FCNPAHBC-30-3	24.5" - 50"	40"-68"	30"	\$2,500

C-Leg Base

### RECOMMENDED APPLICATION

- Order 24" base for use with 30" deep worksurfaces
- Order 30" base for use with 36" deep worksurfaces
- 120° corners use corner base on 48" wide worksurfaces
- 90° corners use corner base on 42" corner worksurfaces and all size extended corner worksurfaces
- My-Hite bases are not for use with 36"x36" 90° corner worksurfaces
- See page 25 for details

# **SPECIFY 2 STAGE**

# Straight T-Leg Base

# 2 stage



### DESCRIPTION

Electric 2-stage height adjustable base range 27"- 45.5"

### NOTES

- Order worksurface separately
- Base adjusts 41" to 74" wide
- Maximum recommended top: 84"
- Minimum recommended top: 42"
- Weight load 260 lbs
- Maximum recommended overhang of 12"

### SPECIFICATION OPTIONS

product #: see below
base finish: page 9

ORDER EXAMPLE

product #: FSQAHBT-24-2
base finish: SV Silver


### STRAIGHT BASE

PARI#	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FSQAHBT-24-2	27"- 45.5"	41"-74"	24"	\$1,479	Supports 24" to 30" deep tops

- For use with rectangular worksurfaces, certain sizes of 120° corners or 90° corners
- See recommended top application on pg 30

# **Corner T-Leg Base**

# 2 stage



### DESCRIPTION

Electric 2-stage height adjustable base range 27"- 45.5"

### NOTES

- Order Worksurface separately
- Base is:
  - A 40" to 62"
  - **B** 40" to 62"
- Minimum recommended top: 48"x48"
- Maximum recommended top: 84"x84"
- See page 30 for recommended top applications
- Rebound function may loose sensitivity on larger tables
- Weight load 330 lbs
- Maximum recommended overhang of 12"
- Supports 90, 120 or 180 degree applications

### SPECIFICATION OPTIONS

product #: see below base finish: page 9

ORDER EXAMPLE

product #: FCNAHBT-24-2
base finish: SV Silver


### **CORNER BASE**

PART #	HEIGHT	WIDTH	DEPTH	PRICE	RECOMMENDED APPLICATION
FCNAHBT-24-2	27"- 45.5"	40"-62"	24"	\$2,179	• For use with two piece curved corner or two piece rectangular worksurfaces

• See recommended top application on pg 30

# WORKSURFACES FOR FREESTANDING APPLICATION

# **Rectangular** Freestanding Application



### DESCRIPTION

Laminate worksurface with 3mm PVC edge

### SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

### ORDER EXAMPLE

product #: FSQAHT.3054 edge finish: DT Dark Tone, E12 worksurface finish: Light Maple, M1 grommet location: GL grommet color: Cloud White

### NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add \$75 list). Specify grommet placement (see page 10)

### RECTANGULAR WORKSURFACE

PART #	WIDTH	DEPTH	LIST
FSQAHT.2442	42"	24"	\$380
FSQAHT.2448	48"	24"	\$392
FSQAHT.2454	54"	24"	\$463
FSQAHT.2460	60"	24"	\$474
FSQAHT.2466	66"	24"	\$545
FSQAHT.2472	72"	24"	\$561
FSQAHT.2478	78"	24"	\$684
FSQAHT.2484	84"	24"	\$691
FSQAHT.3042	42"	30"	\$449
FSQAHT.3048	48"	30"	\$463
FSQAHT.3054	54"	30"	\$547
FSQAHT.3060	60"	30"	\$561
FSQAHT.3066	66"	30"	\$650
FSQAHT.3072	72"	30"	\$664
FSQAHT.3078	78"	30"	\$818
FSQAHT.3084	84"	30"	\$824
FSQAHT.3642	42"	36"	\$473
FSQAHT.3648	48"	36"	\$480
FSQAHT.3654	54"	36"	\$843
FSQAHT.3660	60"	36"	\$852
FSQAHT.3666	66"	36"	\$862
FSQAHT.3672	72"	36"	\$871

78"

84"

36"

\$879


\$1,005

FSQAHT.3678

FSQAHT.3684

- Sizes are actual . for example: FSQAHT.2448 is 23 7/8" x 47 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

# **Corner** Freestanding Application



### DESCRIPTION

Laminate worksurface with 3mm PVC edge

### NOTES

- Tops are intended for freestanding application
- See System pricebook for use inside a paneled workstation
- Add grommet cutout (add \$75 list).
   Specify grommet placement (see page 10)

### SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

### ORDER EXAMPLE

product #: FCCAHS.2448 edge finish: DT Dark Tone, E12 worksurface finish: Light Maple, M1

grommet location: GL grommet color: Cloud White


### **CORNER WORKSURFACE**

PART #	WIDTH	DEPTH	LIST
FCCAHS.2442	42"	24"	\$626
FCCAHS.2448	48"	24"	\$662


FCCAHS.3042	42"	30"	\$681
FCCAHS.3048	48"	30"	\$715

- Sizes are actual . for example: FCCAHS.2448 is  $23.7/8^{''} \times 47.7/8^{''}$
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

# 90° Extended Curved Corner Freestanding Application



Right Extended shown



### DESCRIPTION

Laminate worksurface with 3mm PVC edge

### NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add \$75 list).
   Specify grommet placement (see page 10)

### SPECIFICATION OPTIONS

product #: see charts below edge finish: see page 9 worksurface finish: see page 9 left or right extended: L for Left, R for Right

### ORDER EXAMPLE

product #: FCCAHS.24366024L edge finish: E10 Espresso worksurface finish: M11 Light Walnut grommet location: PG5L-C grommet color: Cloud White

24" D CONNECTING SIDE 24" D EXTENSION 36" D

PART #	HEIGHT	А	В	С	D	WT. (LBS)	PRICE
FCCAHS.24366024L	1.25"	24"	36"	60"	24"	76	\$718
FCCAHS.24366024R	1.25"	24"	36"	60"	24"	76	\$718
FCCAHS.24366624L	1.25"	24"	36"	66"	24"	76	\$800
FCCAHS.24366624R	1.25"	24"	36"	66"	24"	76	\$800
FCCAHS.24367224L	1.25"	24"	36"	72"	24"	82	\$813
FCCAHS.24367224R	1.25"	24"	36"	72"	24"	82	\$813
FCCAHS.24367824L	1.25"	24"	36"	78"	24"	82	\$974
FCCAHS.24367824R	1.25"	24"	36"	78"	24"	82	\$974
FCCAHS.24368424L	1.25"	24	36"	84	24	104	\$1,081
FCCAHS.24368424R	1.25"	24	36"	84	24	104	\$1,081

30" D CONNECTING SIDE 30" D EXTENSION 36" D

PART#	HEIGHT	А	В	С	D	WT. (LBS)	PRICE
FCCAHS.30366030L	1.25"	30"	36"	60"	30"	87	\$786
FCCAHS.30366030R	1.25"	30"	36"	60"	30"	87	\$786
FCCAHS.30366630L	1.25"	30"	36"	66"	30"	87	\$868
FCCAHS.30366630R	1.25"	30"	36"	66"	30"	87	\$868
FCCAHS.30367230L	1.25"	30"	36"	72"	30"	95	\$879
FCCAHS.30367230R	1.25"	30"	36"	72"	30"	95	\$879
FCCAHS.30367830L	1.25"	30"	36"	78"	30"	95	\$1,042
FCCAHS.30367830R	1.25"	30"	36"	78"	30"	95	\$1,042
FCCAHS.30368430L	1.25"	30"	36"	84	30"	112	\$1,145
FCCAHS.330368430R	1.25"	30"	36"	84	30"	112	\$1,145

24" D CONNECTING SIDE 24" D EXTENSION 42" D

PART #	HEIGHT	А	В	С	D	WT. (LBS)	PRICE
FCCAHS.24426024L	1.25"	24"	42"	60"	24"	83	\$865
FCCAHS.24426024R	1.25"	24"	42"	60"	24"	83	\$865
FCCAHS.24426624L	1.25"	24"	42"	66"	24"	83	\$972
FCCAHS.24426624R	1.25"	24"	42"	66"	24"	83	\$972
FCCAHS.24427224L	1.25"	24"	42"	72"	24"	89	\$987
FCCAHS.24427224R	1.25"	24"	42"	72"	24"	89	\$987
FCCAHS.24427824L	1.25"	24"	42"	78"	24"	89	\$1,196
FCCAHS.24427824R	1.25"	24"	42"	78"	24"	89	\$1,196
FCCAHS.24428424L	1.25"	24	42"	84	24	104	\$1,335
FCCAHS.24428424R	1.25"	24	42"	84	24	104	\$1,335

30" D CONNECTING SIDE 30" D EXTENSION 42" D

PART#	HEIGHT	А	В	С	D	WT. (LBS)	PRICE
FCCAHS.30426030L	1.25"	30"	42"	60"	30"	95	\$931
FCCAHS.30426030R	1.25"	30"	42"	60"	30"	95	\$931
FCCAHS.30426630L	1.25"	30"	42"	66"	30"	95	\$1,038
FCCAHS.30426630R	1.25"	30"	42"	66"	30"	95	\$1,038
FCCAHS.30427230L	1.25"	30"	42"	72"	30"	103	\$1,054
FCCAHS.30427230R	1.25"	30"	42"	72"	30"	103	\$1,054
FCCAHS.30427830L	1.25"	30"	42"	78"	30"	103	\$1,264
FCCAHS.30427830R	1.25"	30"	42"	78"	30"	103	\$1,264
FCCAHS.30428430L	1.25"	30"	42"	84	30"	112	\$1,401
FCCAHS.30428430R	1.25"	30"	42"	84	30"	112	\$1,401


24" D CONNECTING SIDE 24" D EXTENSION 48" D

PART #	HEIGHT	А	В	С	D	WT. (LBS)	PRICE
FCCAHS.24486024L	1.25"	24"	48"	60"	24"	89	\$877
FCCAHS.24486024R	1.25"	24"	48"	60"	24"	89	\$877
FCCAHS.24486624L	1.25"	24"	48"	66"	24"	89	\$987
FCCAHS.24486624R	1.25"	24"	48"	66"	24"	89	\$987
FCCAHS.24487224L	1.25"	24"	48"	72"	24"	95	\$1,009
FCCAHS.24487224R	1.25"	24"	48"	72"	24"	95	\$1,009
FCCAHS.24487824L	1.25"	24"	48"	78"	24"	95	\$1,229
FCCAHS.24487824R	1.25"	24"	48"	78"	24"	95	\$1,229
FCCAHS.24488424L	1.25"	24	48"	84	24	112	\$1,378
FCCAHS.24488424R	1.25"	24	48"	84	24	112	\$1,378

30" D CONNECTING SIDE 30" D EXTENSION 48" D

PART #	HEIGHT	Α	В	С	D	WT. (LBS)	PRICE
FCCAHS.30486030L	1.25"	30"	48"	60"	30"	104	\$945
FCCAHS.30486030R	1.25"	30"	48"	60"	30"	104	\$945
FCCAHS.30486630L	1.25"	30"	48"	66"	30"	104	\$1,054
FCCAHS.30486630R	1.25"	30"	48"	66"	30"	104	\$1,054
FCCAHS.30487230L	1.25"	30"	48"	72"	30"	112	\$1,077
FCCAHS.30487230R	1.25"	30"	48"	72"	30"	112	\$1,077
FCCAHS.30487830L	1.25"	30"	48"	78"	30"	112	\$1,296
FCCAHS.30487830R	1.25"	30"	48"	78"	30"	112	\$1,296
FCCAHS.30488430L	1.25"	30"	48"	84	30"	112	\$1,439
FCCAHS 30488430R	125"	30"	48"	84	30"	112	\$1.439

# **Rectangular Extension** Freestanding Application



### DESCRIPTION

Laminate worksurface with 3mm PVC edge

### NOTES

- For use in combination with Extended Corner Worksurfaces and Corner My-Hite Bases only
- Not for use alone, nor with straight bases
- Maximum width combined: 84x84" (for all bases) or 72x96" (3 stage base only)


### SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 9
edge finish: see page 9

### ORDER EXAMPLE

product #: FSQAHT.2424 worksurface finish: Light Maple, M1 edge finish: DT Dark Tone, E12

### STANDARD GRAIN




	PART #	DEPTH "A"	WIDTH "E"	LIST
	FSQAHT.2424	24"	24"	\$299
	FSQAHT.2430	24"	30"	\$342
	FSQAHT.2436	24"	36"	\$353
	FSQAHT.2442	24"	42"	\$380
	FSQAHT.2448	24"	48"	\$392
	FSQAHT.2454	24"	54"	\$463
	FSQAHT.2460	24"	60"	\$474
	FSQAHT.3024	30"	24"	\$396
	FSQAHT.3030	30"	30"	\$451
	FSQAHT.3036	30"	36"	\$464
	FSQAHT.3042	30"	42"	\$449
	FSQAHT.3048	30"	48"	\$463
	FSQAHT.3054	30"	54"	\$547
	FSQAHT.3060	30"	60"	\$561

### NOTES

- Sizes are actual . for example: FSQAHT.2424 is 23 7/8" x 23 7/8" Not recommended in paneled
- workstation applications
- Topsize not reduced to eliminate pinch points
- Standard default grain direction is left to right (See left)


### **CROSS GRAIN**



PART#	DEPTH "A"	WIDTH "E"	LIST
FSQAHT.2430-CG	24"	30"	\$409
FSQAHT.2436-CG	24"	36"	\$423
FSQAHT.2442-CG	24"	42"	\$456
FSQAHT.2448-CG	24"	48"	\$470
FSQAHT.2454-CG	24"	54"	\$555
FSQAHT.2460-CG	24"	60"	\$569
FSQAHT.3024-CG	30"	24"	\$475
FSQAHT.3036-CG	30"	36"	\$557
FSQAHT.3042-CG	30"	42"	\$539
FSQAHT.3048-CG	30"	48"	\$555
FSQAHT.3054-CG	30"	54"	\$656
FSQAHT.3060-CG	30"	60"	\$673

- Sizes are actual . for example: FSQAHT.2424 is 23 7/8" x 23 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points
- Cross grain direction is front to back (See left)

### FLAT BRACKET




PART#	WIDTH	DEPTH	LIST	NOTES
FVFB.08	8"	2"	\$38	<ul> <li>Used to unite two worksurfaces supported by one base. See page 17.</li> <li>Use a Flat Bracket pair to attach an Extended Curved Corner with</li> </ul>
				<ul><li>a Rectangular Extension.</li><li>Sold in pairs</li></ul>
				Black finish

### **ANTI-SAG BARS**



PART #	WIDTH	LIST	NOTES
FWASB.42	42"	\$120	Anti-Sag bar, 42" wide with (8) screws. For use with 48 & 54" worktops
FWASB.54	54"	\$153	Anti-Sag bar, 54" wide with (10) screws. For use with 60 & 66" worktops
FWASB.66	66"	\$185	Anti-Sag bar, 66" wide with (12) screws. For use with 72 & 78" worktops

# **D-Shaped** Freestanding Application



### DESCRIPTION

Laminate worksurface with 3mm PVC edge

### NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add \$75 list).
   Specify grommet placement (see page 10)

### SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

### ORDER EXAMPLE


product #: FDAHT.2448 edge finish: E10 Espresso worksurface finish: M11 Light Walnut grommet location: GC grommet color: Cloud White

### **D-SHAPED**

PART #	HEIGHT	А	В	С	D	PRICE
FDAHT.2448	1.25"	48"	24"	-	-	\$572
FDAHT.2460	1.25"	60"	24"	_	_	\$638
FDAHT.3048	1.25"	48"	30"	_	_	\$628
FDAHT.3060	1.25"	60"	30"	_	_	\$697
FDAHT.3072	1.25"	72"	30"	_	_	\$760
FDAHT.3672	1.25"	72"	36"	_	_	\$839

- Sizes are actual for example: FDAHT.2448 is 23  $7/8^{"}$  x 47  $7/8^{"}$
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

# Wedge Freestanding Application



### DESCRIPTION

Laminate worksurface with 3mm PVC edge

### NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add \$75 list).
   Specify grommet placement (see page 10)

### SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

### ORDER EXAMPLE

product #: FWDAHT.244230 edge finish: E10 Espresso worksurface finish: M11 Light Walnut grommet location: PG5L-C grommet color: Cloud White

### 24"D LEFT 30"D RIGHT

PART#	HEIGHT	А	В	С	D	PRICE
FWDAHT.244230	1.25"	24"	42"	30"	_	\$444
FWDAHT.244830	1.25"	24"	48"	30"	_	\$452
FWDAHT.245430	1.25"	24"	54"	30"	_	\$514
FWDAHT.246030	1.25"	24"	60"	30"	_	\$550
FWDAHT.246630	1.25"	24"	66"	30"	_	\$614
FWDAHT.247230	1.25"	24"	72"	30"	_	\$628
FWDAHT.247830	1.25"	24"	78"	30"	_	\$729


### NOTES

- Sizes are actual for example: FWDAHT-244230 is 23 7/8" x 41 7/8" x 29 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

### 30"D LEFT 24"D RIGHT

PART #	HEIGHT	А	В	С	D	PRICE
FWDAHT.304224	1.25"	30"	42"	24"	_	\$444
FWDAHT.304824	1.25"	30"	48"	24"	_	\$452
FWDAHT.305424	1.25"	30"	54"	24"	_	\$514
FWDAHT.306024	1.25"	30"	60"	24"	_	\$550
FWDAHT.306624	1.25"	30"	66"	24"	_	\$614
FWDAHT.307224	1.25"	30"	72"	24"	_	\$628
FWDAHT.307824	1.25"	30"	78"	24"	-	\$729

# 120° Corner / 90° Ends Freestanding Application



### DESCRIPTION

Laminate worksurface with 3mm PVC edge

### NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add \$75 list).
   Specify grommet placement (see page 10)

### SPECIFICATION OPTIONS

product #: see charts below
top, edge finish: see page 9
worksurface finish: see page 9

### ORDER EXAMPLE


product #: F120AHT-90WS.2436 top, edge finish: E10 Espresso worksurface finish: M11 Light Walnut grommet location: 120GL grommet color: Cloud White

### 120° CORNER 90° ENDS

PART #	HEIGHT	А	В	С	D	PRICE
F120AHT-90WS.2436	1.25"	24"	36"	_	_	\$820
F120AHT-90WS.2442	1.25"	24"	42"	_	_	\$1,010
F120AHT-90WS.2448	1.25"	24"	48"	_	_	\$1,259

- Sizes are actual for example: F120AHT-90WS.2436 is 23 7/8" x 35 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

# 120° Corner / 120° Ends Freestanding Application



### DESCRIPTION

Laminate worksurface with 3mm PVC edge

### NOTES

- Tops are intended for freestanding application
- See system pricebook for use inside a paneled workstation
- Add grommet cutout (add \$75 list).
   Specify grommet placement (see page 10)

### SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

### ORDER EXAMPLE


product #: F120AHT-120WS.2436 edge finish: E10 Espresso worksurface finish: M11 Light Walnut grommet location: 120GL grommet color: Cloud White

### 120° CORNER 120° ENDS

PART #	HEIGHT	А	В	С	D	PRICE
F120AHT-120WS.2436	1.25"	24"	36"	_	-	\$820
F120AHT-120WS.2442	1.25"	24"	42"	_	_	\$1,010
F120AHT-120WS.2448	1.25"	24"	48"			\$1,259

- Sizes are actual for example: F120AHT-120WS.2436 is 23 7/8" x 35 7/8"
- Not recommended in paneled workstation applications
- Topsize not reduced to eliminate pinch points

# **Modesty Panel, Laminate**



### DESCRIPTION

Laminate modesty panel with matching 2mm PVC edge

### SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV
Laminate (Modesty Panel) see page 9

### ORDER EXAMPLE

product #: FAHLMOD.0860
paint: CW, Cloud White
laminate: M12, Medium Walnut

### NOTES

- Actual modesty is shorter than the worktop to clear the My-Hite base.
- Example: FAHLMOD.1648 for use on 46"/48" width table, actual width is 40"

## **Laminate Modesty Panel**

PART #	HEIGHT	WIDTH	LIST
FAHLMOD.0842	8"	34"	\$233
FAHLMOD.0848	8"	40"	\$241
FAHLMOD.0854	8"	46"	\$248
FAHLMOD.0860	8"	52"	\$367
FAHLMOD.0866	8"	58"	\$374
FAHLMOD.0872	8"	64"	\$382
FAHLMOD.0878	8"	70"	\$390

FAHLMOD.1642	16"	34"	\$287
FAHLMOD.1648	16"	40"	\$295
FAHLMOD.1654	16"	46"	\$302
FAHLMOD.1660	16"	52"	\$466
FAHLMOD.1666	16"	58"	\$472
FAHLMOD.1672	16"	64"	\$479
FAHLMOD.1678	16"	70"	\$488

### NOTES

• Modesty panel will be shorter than top to clear the My-Hite base.

### Example:

- 1. FSQAHT-2460 order FAHLMOD.1660 (actual width 52")
- 2. FIRWS.2370 (Interra pricebook) order FAHLMOD.1672 (actual width 64")

# Privacy Screen, Fabric



### DESCRIPTION

Work Surface mounted fabric covered privacy screen

### NOTES

- · Fabric screen is non-tackable
- To use a wire manager on your My-Hite table with a fabric covered privacy screen, you must order "with gap".
- Actual screen is shorter than the worktop.
- Example: FPSFLUSH.2448 for use on 46"/48" width table, actual width of screen is 40".
- Passage and Terrain fabric not approved for this application

### SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV
fabric: see page 7 (Passage and
 Terrain fabric not approved for this
 application)

### ORDER EXAMPLE

product #: FPSFLUSH.2448 brackets: SV, Silver fabric: PF-101-2 Slide, Slate

### Fabric Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FPSFLUSH.2442	24"	34"	\$651
FPSFLUSH.2448	24"	40"	\$704
FPSFLUSH.2454	24"	46"	\$758
FPSFLUSH.2460	24"	52"	\$814
FPSFLUSH.2466	24"	58"	\$870
FPSFLUSH.2472	24"	64"	\$925

### NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.
- Example:
- FSQAHT-2460 order FPSFLUSH.2460 (actual width 52")

# Fabric Privacy Screen - with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FPSGAP.2442	24"	34"	\$651
FPSGAP.2448	24"	40"	\$704
FPSGAP.2454	24"	46"	\$758
FPSGAP.2460	24"	52"	\$814
FPSGAP.2466	24"	58"	\$870
FPSGAP.2472	24"	64"	\$925

### NOTES

 With 1" gap at back of worksurface for cord/wire management.


### Example:

- 1. FSQAHT-2460 order FPSGAP.2460 (actual width 52")
- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

### Example:

 FSQAHT-2460 order FPSGAP.2460 (actual width 52")

## Privacy Screen, Marker Board



### DESCRIPTION

Work Surface mounted marker board privacy screen

### NOTES

- To use a wire manager on your My-Hite table with a marker board privacy screen, you must order "with gap".
- Marker board screen is writable on both sides
- Actual screen is shorter than the worktop.
- Example: FMPSFLUSH.2448 for use on 46"/48" width table, actual width of screen is 40"

### SPECIFICATION OPTIONS

product #: see charts below Paint (Brackets): CW, BU, SV

ORDER EXAMPLE

product #: FMPSFLUSH.2448
brackets: SV, Silver

### Marker Board Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FMPSFLUSH.2442	24"	34"	\$787
FMPSFLUSH.2448	24"	40"	\$901
FMPSFLUSH.2454	24"	46"	\$1,015
FMPSFLUSH.2460	24"	52"	\$1,131
FMPSFLUSH.2466	24"	58"	\$1,245
FMPSFLUSH.2472	24"	64"	\$1,360

### NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

### Example:

1. FSQAHT-2460 order FMPSFLUSH.2460 (actual width 52")

### Marker Board Privacy Screenwith Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FMPSGAP.2442	24"	34"	\$787
FMPSGAP.2448	24"	40"	\$901
FMPSGAP.2454	24"	46"	\$1,015
FMPSGAP.2460	24"	52"	\$1,131
FMPSGAP.2466	24"	58"	\$1,245
FMPSGAP.2472	24"	64"	\$1,360

### NOTES

• With 1" gap at back of worksurface for cord/wire management.


### Example:

- 1. FSQAHT-2460 order FPSGAP.2460 (actual width 52")
- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

### Example:

1. FSQAHT-2460 order FMPSGAP.2460 (actual width 52")

# Privacy Screen, Laminate



### DESCRIPTION

Work Surface mounted laminate privacy screen

### NOTES

- To use a wire manager on your My-Hite table with a laminate privacy screen, you must order "with gap".
- Actual screen is shorter than the worktop.

### SPECIFICATION OPTIONS

**product #**: see charts below **Paint (Brackets)**: CW, BU, SV **finish**: see page 9

ORDER EXAMPLE

product #: FPSFLUSH.2454
brackets: SV, Silver

### Laminate Privacy Screen - Flush

Have grommet? Go flush

PART #	HEIGHT	WIDTH	LIST
FLPSFLUSH.2442	24"	34"	\$423
FLPSFLUSH.2448	24"	40"	\$472
FLPSFLUSH.2454	24"	46"	\$519
FLPSFLUSH.2460	24"	52"	\$566
FLPSFLUSH.2466	24"	58"	\$614
FLPSFLUSH.2472	24"	64"	\$661

### NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

### Example:

1. FSQAHT-2460 order FPSFLUSH.2460 (actual width 52")

# Laminate Privacy Screen - with Wire Management Gap

Need space between the screen and top? Add gap

PART #	HEIGHT	WIDTH	LIST
FLPSGAP.2442	24"	34"	\$423
FLPSGAP.2448	24"	40"	\$472
FLPSGAP.2454	24"	46"	\$519
FLPSGAP.2460	24"	52"	\$566
FLPSGAP.2466	24"	58"	\$614
FLPSGAP.2472	24"	64"	\$661

### NOTES

• With 1" gap at back of worksurface for cord/wire management.


### Example:

- 1. FSQAHT-2460 order FPSGAP.2460 (actual width 52")
- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

### :xample

 FSQAHT-2460 order FLPSGAP.2460 (actual width 52")

# Worksurface Mounted Screens, Clear



### DESCRIPTION

Surface mounted glass screens, including hardware.

### NOTES

- Includes: (2) supporting brackets for screens up to 48"W, (3) supporting brackets for screens 54"W and wider.
- Mounts to any laminate/veneer worksurface top.

### SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV

### ORDER EXAMPLE

product #: FWSMG.0824-CL
paint: SV Silver

### Glass Screens, Clear 8" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.0824-CL	8"	24"	\$184
FWSMG.0830-CL	8"	30"	\$199
FWSMG.0836-CL	8"	36"	\$215
FWSMG.0842-CL	8"	42"	\$230
FWSMG.0848-CL	8"	48"	\$244
FWSMG.0854-CL	8"	54"	\$321
FWSMG.0860-CL	8"	60"	\$336
FWSMG.0866-CL	8"	66"	\$351
FWSMG.0872-CL	8"	72"	\$365

### NOTES

• Screen mounts to any laminate/ veneer worksurface top

### Glass Screens, Clear 14" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1424-CL	14"	24"	\$231
FWSMG.1430-CL	14"	30"	\$256
FWSMG.1436-CL	14"	36"	\$280
FWSMG.1442-CL	14"	42"	\$304
FWSMG.1448-CL	14"	48"	\$332
FWSMG.1454-CL	14"	54"	\$418
FWSMG.1460-CL	14"	60"	\$441
FWSMG.1466-CL	14"	66"	\$464
FWSMG.1472-CL	14"	72"	\$486


### NOTES

• Screen mounts to any laminate/ veneer worksurface top

### Glass Screens, Clear 15" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1522-CL	15"	22"	\$315
FWSMG.1528-CL	15"	28"	\$336

# Worksurface Mounted Screens, Frosted



### Glass Screens, Frosted 8" HIGH

### DESCRIPTION

Surface mounted glass screens, including hardware

### NOTES

- Includes: (2) supporting brackets for screens up to 48"W, (3) supporting brackets for screens 54"W and wider.
- Mounts to any laminate/veneer worksurface top.

### SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV

### ORDER EXAMPLE

product #: FWSMG.0824-FR
paint: SV Silver

PART #	HEIGHT	WIDTH	LIST	
FWSMG.0824-FR	8"	24"	\$257	
FWSMG.0830-FR	8"	30"	\$291	
FWSMG.0836-FR	8"	36"	\$325	
FWSMG.0842-FR	8"	42"	\$361	
FWSMG.0848-FR	8"	48"	\$395	
FWSMG.0854-FR	8"	54"	\$461	
FWSMG.0860-FR	8"	60"	\$474	
FWSMG.0866-FR	8"	66"	\$486	
FWSMG.0872-FR	8"	72"	\$500	

### NOTES

• Screen mounts to any laminate/ veneer worksurface top

Glass	Screens,	Frosted
14" HI	IGH	

HEIGHT	WIDTH	LIST
14"	24"	\$360
14"	30"	\$419
14"	36"	\$479
14"	42"	\$534
14"	48"	\$597
14"	54"	\$665
14"	60"	\$715
14"	66"	\$765
14"	72"	\$816
	14" 14" 14" 14" 14" 14" 14" 14"	14"     24"       14"     30"       14"     36"       14"     42"       14"     48"       14"     54"       14"     60"       14"     66"

### Glass Screens, Frosted 15" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMG.1522-FR	15"	22"	\$438
FWSMG.1528-FR	15"	28"	\$491

### NOTES

• Screen mounts to any laminate/ veneer worksurface top

# Worksurface Mounted Screens, Fabric



### DESCRIPTION

Surface mounted fabric screens, including hardware

### SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV

**fabric**: see page 7 (Passage and Terrain fabric not approved for this application)

### NOTES

- Includes: (2) supporting brackets for screens up to 48"W, (3) supporting brackets for screens 54"W and wider.
- Mounts to any laminate/veneer worksurface top.
- Passage and Terrain fabric not approved for this application

### ORDER EXAMPLE

product #: FWSMTK.1424

paint: SV Silver

fabric: PF-101-2 Slide, Slate

Fabric Screens, 14" HIGH	Fa	bric	Screens	. 14"	HIGH
--------------------------	----	------	---------	-------	------

PART #	HEIGHT	WIDTH	LIST
FWSMTK.1424	14"	24"	\$329
FWSMTK.1430	14"	30"	\$345
FWSMTK.1436	14"	36"	\$414
FWSMTK.1442	14"	42"	\$414
FWSMTK.1448	14"	48"	\$480
FWSMTK.1454	14"	54"	\$584
FWSMTK.1460	14"	60"	\$617
FWSMTK.1466	14"	66"	\$617
FWSMTK.1472	14"	72"	\$651

### NOTES

Screen mounts to any laminate/veneer worksurface top

### Fabric Screens, 14" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMTK.1422	14"	22"	\$329
FWSMTK.1428	14"	28"	\$345

### NOTES

Screen mounts to any laminate/veneer worksurface top

### Fabric Screens, 24" HIGH

PART #	HEIGHT	WIDTH	LIST
FWSMTK.2424	24"	24"	\$667
FWSMTK.2430	24"	30"	\$700
FWSMTK.2436	24"	36"	\$818
FWSMTK.2442	24"	42"	\$854
FWSMTK.2448	24"	48"	\$952
FWSMTK.2454	24"	54"	\$1,093
FWSMTK.2460	24"	60"	\$1,192
FWSMTK.2466	24"	66"	\$1,205
FWSMTK.2472	24"	72"	\$1,303

### NOTES

• Screen mounts to any laminate/veneer worksurface top


### Fabric Screens, 24" HIGH

PART #	HEIGHT	WIDTH	LIST	
FWSMTK.2422	24"	22"	\$663	
FWSMTK.2428	24"	28"	\$696	

### NOTES

Screen mounts to any laminate/veneer worksurface top

# **Flyp Screens**



DESCRIPTION

Surface mounted PET screens, including bardware

NOTES

- Screens sold individually
- Includes: (2) supporting brackets per screen
- Mounts to the underside of any laminate/veneer worksurface
- Screens can extend above or below worksurface
- Screen color is Sesame Black only
- Mounting hardware is Cool Grey
- · Note actual widths of screens below

### SPECIFICATION OPTIONS

product #: see charts below

### ORDER EXAMPLE

product #: FPSFLYP.2258

### Flyp Screen

PART #	HEIGHT	WIDTH	LIST
FPSFLYP.2246	22"	46"	\$537
FPSFLYP.2258	22"	58"	\$749
FPSFLYP.2270	22"	70"	\$821

### NOTES

• Screen mounts to the underside of any laminate/veneer worksurface

### Flyp Side Screen

PART #	HEIGHT	WIDTH	LIST
FPSFLYP.2224	22"	23.5"	\$390

### NOTES

• Screen mounts to the underside of any laminate/veneer worksurface

### **Mobile Pedestal**



### DESCRIPTION

Box/File mobile pedestal with lock and matching color top

### SPECIFICATION OPTIONS

product #: FBFPED.MOB finish: CW, BU, SV foam color (if applicable): Charcoal, Café, Grey, and Red

### NOTES

- Optional Foam cushion available
- Optional different color top available
- Foam cushion is available in 6 colors
- Key-alike available
- Changeable colored top available

### ORDER EXAMPLE

Pedestal:

product #: FBFPED.MOB finish: SV Silver

Cushion:

product #: FBFPED.CUSH

finish: Charcoal

### **MOBILE PEDESTAL**



PART#	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FBFPED.MOB	21.5"	15"	19 <sup>3/4</sup> "		\$761

### NOTES


• Finish options: SV Silver, CW Cloud White and BU Black Umber

### **COLOR PEDESTAL TOP**



### NOTES

- · Color options: Green, Blue, and Red
- Please select color when ordering



### **FOAM CUSHION**

PART# HEIGHT WIDTH DEPTH WT. (LBS) PRICE FBFPED.CUSH \$159

- · Color options: Charcoal, Café, Grey, and Red
- · Please select color when ordering
- · Cushion is made of foam and not fabric covered



# Keyed Alike

DESCRIPTION	SPECIFICATION OPTIONS
Keys for My-Hite pedestal	<pre>product #: see charts below</pre>
	ORDER EXAMPLE
	product #: METAL1 -FMK

DESCRIPTION	PRICE	NOTES
Lock Core Keyed-Alike (set of 4) - Type 1 Metal Storage	\$192	All Friant Pedestals, Lateral Files, and Overhead Cabinets can be keyed-alike
Lock Core Keyed-Alike (set of 6) - Type 1 Metal Storage	\$289	<ul> <li>Keyed-Alike Lock Cores are sold in sets of 4 or 6).</li> <li>Each set includes four Lock Cores, each</li> </ul>
Lock Core Change Key - Type 1 Metal Storage	\$28	with two keys, all with the same lock number.
Lock Core Master Key - Type 1 Metal Storage	\$28	<ul> <li>Lock core removal/change keys will need to be ordered separately.</li> <li>Additional Lock Core Removal Keys and</li> </ul>
Key Blank - Type 1 Metal Storage	\$4	Master Keys are available.
L 4 L S	cock Core Keyed-Alike (set of b) - Type 1 Metal Storage cock Core Keyed-Alike (set of b) - Type 1 Metal Storage cock Core Change Key - Type 1 Metal Storage cock Core Master Key - Type 1 Metal Storage	cock Core Keyed-Alike (set of \$192) - Type 1 Metal Storage cock Core Keyed-Alike (set of \$289) - Type 1 Metal Storage cock Core Change Key - Type 1 Metal \$28 ctorage cock Core Master Key - Type 1 Metal \$28 ctorage

# **Monitor Arms**

### SINGLE MONITOR ARM



PART #	LIST
FMA-S	\$688

### NOTES

- CW, SV, BU Finish
- Includes attachment hardware for clamp, grommet and Verity track mount.
- Includes (2) USB ports, 6' cords

### **DUAL MONITOR ARM**



PART #	LIST
FMA-D	\$982

### NOTES

- CW, SV, BU Finish
- Includes attachment hardware for clamp, grommet and Verity track mount.
- Includes (2) USB ports, 6' cords

65

### Power Grommet Worksurface Mounted



### DESCRIPTION

Worksurface mounted power/data grommet

### SPECIFICATION OPTIONS

product #: see charts below finish: BA Brushed Aluminum, BC Brushed Charcoal or CW Cloud White (contact customer success for lead time)

### NOTES

 Includes 10' coiled power cord to connect to power source, or daisy chain to next power grommet

### ORDER EXAMPLE

product #: FPWR.0608 finish: BA Brushed Aluminum

### **POWER GROMMET, 5x8**



PART #	HEIGHT	WIDTH	DEPTH	PRICE
FPWR.0508		8"	5"	\$761

### NOTES

- Worksurface mounted power/ data grommet, 5x8
- Includes 10' coiled power cord to connect to power source
- Distributes up to 10 amps
- Above Worksurface: (2) CAT6 data ports (out), (2) power outlets, (2) USB ports
- Below Worksurface: (2) CAT6 data ports (in), (1) power outlet, Daisy Chain ports (in/ out)

### **POWER GROMMET, 6x8**



PART #	HEIGHT	WIDTH	DEPTH	PRICE
FPWR.0608		8"	6"	\$761

### NOTES

- Worksurface mounted power/ data grommet, 6x8
- Includes 10' coiled power cord to connect to power source
- Distributes up to 10 amps
- Above Worksurface: (2) CAT6 data ports (out), (2) power outlets, (2) USB ports
- Below Worksurface: (2) CAT6 data ports (in), (2) power outlets, Daisy Chain ports (in/ out)


66

# **Power Distribution**

		DESCRIPTION	SPECIF	ICATION OPTIONS
		Workstation accessories.	•	t #: see charts below CW Cloud White, DT Dark Tone, MT n Tone
			ORDER	EXAMPLE
			produc finish: (	<b>t #:</b> FTB.24 CW
SINGLE CIRCUIT INFEED	PART#		PRICE	NOTES
	FD-BPI.1CIR		\$113	Plug-in power infeed for use with table power distribition
TABLE POWER	PART#			NOTES
DISTRIBUTION	FD-SFC-306-4A		\$99	Use with single circuit infeed     (FD-BPLICIR)
				<ul> <li>(FD-BPI.1CIR)</li> <li>Power strip to attaches to the underside of tabletops.</li> </ul>
DAISY CHAIN POWER	PART#		PRICE	NOTES
CONNECTOR	FD-DCI.1CIR		\$113	Connects adjacent table     power distribution 8' cord
				,

### **Accessories**

# WIRE MANAGER



PART #	HEIGHT	WIDTH	DEPTH	LIST	NOTES
FMHWM	1 <sup>7/8</sup> "	32"- 59"	6"	\$103	<ul> <li>Wire manager covers user's wiring (i.e.: computer, phone, etc.); adjustable width</li> <li>To use a wire manager on your My-Hite table with fabric covered privacy screen you must order "with gap".</li> <li>Wire manager telescopes from 32"-59"</li> <li>Includes T-Support post with height of 3 1/4"</li> </ul>

### **MESH WIRE MANAGER**



PART #	LENGTH	PRICE
FFWM.18	18"	\$159
FFWM.34	34"	\$159

- Wire manager mounts to the bottom of a worksurface to manage cords
- Finish: Black with red zipper

• Specify finish: CW, BU or SV

### **CASTERS**



PART #		LIST	NOTES
FMHCS-3.4	Casters for 3-Stage Straight Bases (4 locking casters included)	\$191	Order 4 casters for rectangle base and 6 casters for corner base
FMHCS-3.6	Casters for 3-Stage Corner Bases (6 locking casters included)	\$191	Height of table is increased by 2" and will not be reflected on the display height
FMHCS-2.4	Casters for 2-Stage Straight Bases (4 locking casters included)	\$191	Casters are installed in the field
FMHCS-2.6	Casters for 2-Stage Corner Bases (6 locking casters included	\$191	Casters are dark grey

### **CONVERSION KIT 3 STAGE BASE**

PART #	LIST
FCNAHT.3.24.CONVERSION	\$1,441
FCNAHC.3.24.CONVERSION	\$1,441

- Kit of parts to convert an existing 2 leg base to a 3 leg base, 3 stage base only
  • FCNAHT.3.24.CONVERSION is for T-Leg
  - 3 Stage base
  - FCNAHC.3.24.CONVERSION is for C-Leg 3 Stage base


# **Accessories Continued**

### **DESK MOUNTED POWER UNIT - CLAMP**




PART #	PRICE	NOTES
FPWR.DM		<ul> <li>Power unit clamps onto surface</li> <li>The power cord comes attached to the unit. The cord measures approximately 6 ft in length.</li> <li>Includes 3 plugs and 2 USB-A ports</li> <li>Distributes up to 10 amps</li> <li>finish: available in BU and CW</li> </ul>

### **DESK MOUNTED POWER UNIT - ADHESIVE**



PART #	PRICE	NOTES
FPWR.DM-2	•	<ul> <li>Power unit attaches to surface with adhesive</li> <li>The power cord comes attached to the unit. The cord measures approximately 6 ft in length.</li> <li>Includes 3 plugs, 1 USB-C and 1 USB-A port</li> <li>Distributes up to 10 amps</li> <li>finish: available in BU and CW</li> </ul>

# **SHIELD Freestanding Laminate Panel Feet**



### DESCRIPTION

Freestanding laminate panel with feet.

### SPECIFICATION OPTIONS

product #: see charts below
surface finish: see page 9

### ORDER EXAMPLE

product #: FZFS.4853 surface finish: M10 Espresso

### NOTES

- Dimensions are actual
- Laminate is 3/4" thick
- Painted metal feet in Cloud White

45" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFS.3045	45"	30"	\$1,214
FZFS.3645	45"	36"	\$1,296
FZFS.4245	45"	42"	\$1,378
FZFS.4845	45"	48"	\$1,458

### 53" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFS.3053	53"	30"	\$1,288
FZFS.3653	53"	36"	\$1,383
FZFS.4253	53"	42"	\$1,478
FZFS.4853	53"	48"	\$1,574

### 60" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFS.3060	60"	30"	\$1,352
FZFS.3660	60"	36"	\$1,513
FZFS.4260	60"	42"	\$1,621
FZFS.4860	60"	48"	\$1,728

# **SHIELD Freestanding Laminate Panel Casters**



### DESCRIPTION

Freestanding laminate panel with casters.

### NOTES

- Dimensions are actual
- Laminate is 3/4" thick
- · Legs are cloud white, casters are white
- Includes 4 locking casters

### SPECIFICATION OPTIONS

product #: see charts below
surface finish: see page 9

ORDER EXAMPLE

product #: FZFSMOB.4845
surface finish: M10 Espresso

### 45" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFSMOB.4245	45"	42"	\$1,560
FZFSMOB.4845	45"	48"	\$1.642


### 53" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFSMOB.4253	53"	42"	\$1,662
FZFSMOB.4853	53"	48"	\$1,756

### 60" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFSMOB.4260	60"	42"	\$1,752
FZFSMOB.4860	60"	48"	\$1,859

# **SHIELD Freestanding Markerboard Panel Feet**



### DESCRIPTION

Freestanding markerboard panel with feet.

### SPECIFICATION OPTIONS

product #: see charts below

### ORDER EXAMPLE

product #: FZFMBS.4853

### NOTES

- Dimensions are actual
- Markerboard is 3/4" thick
- Painted metal feet in Cloud White

45" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBS.3045	45"	30"	\$1,915
FZFMBS.3645	45"	36"	\$2,136
FZFMBS.4245	45"	42"	\$2,359
FZFMBS.4845	45"	48"	\$2,579

53" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBS.3053	53"	30"	\$2,112
FZFMBS.3653	53"	36"	\$2,373
FZFMBS.4253	53"	42"	\$2,634
FZFMBS.4853	53"	48"	\$2,894

### 60" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBS.3060	60"	30"	\$2,286
FZFMBS.3660	60"	36"	\$2,634
FZFMBS.4260	60"	42"	\$2,930
FZFMBS.4860	60"	48"	\$3,224

# **SHIELD Freestanding Markerboard Panel Casters**



#### DESCRIPTION

Freestanding markerboard panel with casters.

#### NOTES

- Dimensions are actual
- Markerboard is 3/4" thick
- Legs are cloud white, casters are white
- Includes 4 locking casters

#### SPECIFICATION OPTIONS

product #: see charts below

#### ORDER EXAMPLE

product #: FZFMBSMOB.4845

#### 45" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBSMOB.4245	45"	42"	\$2,540
FZFMBSMOB.4845	45"	48"	\$2.763

## 53" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBSMOB.4253	53"	42"	\$2,817
FZFMBSMOB.4853	53"	48"	\$3,078

#### 60" HIGH

PART #	HEIGHT	WIDTH	LIST
FZFMBSMOB.4260	60"	42"	\$3,059
FZFMBSMOB.4860	60"	48"	\$3,352


# **BEAM**

# **How to Order Beam**



# Select a Beam Package


- Beam package with screen support or
- Beam package without screen support





# Specify End of Run Posts

• End of Run post for each end of run (Quantity (2) total each run)



# 3

# **Specify Support Posts**

- Inline post for each package to package location (Quantity depends on length of run)
- 3 or 4 way post if applicable






# Specify Electrical

Options include:

- Select either base feed or power pole (power pole at End of Run only base feed at any post)
- Specify duplexes Circuit 1-4 ( (2) duplexes per side except 36" which is (1) duplex per side)
- Add data port
   (FBDPP less than 20 CAT 6 cables)
   (FHDPP more than 20 CAT 6 cables)







# 5 Specify Beam Mounted Screen (if applicable)

Options include:

- · Clear glass
- Frosted glass
- Fabric covered



# 6 Specify My-Hite Base



# 7 Specify My-Hite Top for Beam Application

Options include:


• Tops range from 40" to 76"



# Select additional items to complete your system Options include:





# Worksurface Planning Guide



<sup>\*</sup> When worksurface is wrapped by Beam on 3 sides, width must be reduced one full size. For example: 70" worksurface becomes a 64"

# **Beam Elevation Height**






# **Beam Creep**


Beam width is measured from center of Post to center of Post. Because of this, creep will be consistent, no matter the size of the beam packages, or the quantity of posts in the run.

Beam creep will be an additional 5" overall per run.

Examples below are FB-BEAM-48B-E Beam Packages, 48"W





Single Station



79

# **Data Port Plate**





# **Product Description**

## PART #: FBDPP, FHDPP

This Data Port Faceplate is field configurable, flush-mounted onto the Panel Base Kickplate, and provides 1 to 4 flush-mount ports for a variety of snap-in connectors and adaptors.

#### **Product Notes**

- Installation and changes can be made without removing the Panel Base Kickplate
- Plates can be installed and removed without any tools
- Window ID provided with each Data Port Plate
- Release latch provides easy access to connections without any tools
- Blank inserts included with each Data Port Plate

#### **Dimensions**

#### PART #: FBDPP,

HEIGHT: 21/8"

WIDTH: 3<sup>5/8</sup>"

DEPTH: 0.25" (from face of Panel Base Kickplate)

MATERIAL: High impact plastic

#### PART #: FHDPP,


HEIGHT: 21/8"

WIDTH: 35/8"

DEPTH: 0.75" (from face of Panel Base Kickplate)

MATERIAL: High impact plastic

# Beam Package With power & data cutouts



**INCLUDES:** Beam, Top cap & Base covers with power & data cutouts

#### DESCRIPTION

Beam package distributes power and data

#### NOTES

- Order data port plates separately
- All widths provide locations for duplexes; (2) on each side, (4) total per beam except 36": (1) duplex each side, (2) total per beam
- (1) Festoon included in package
- Order support posts separately
- Order infeed separately
- Order duplexes separately
- Order Data Port Plate separately

#### SPECIFICATION OPTIONS


product #: see charts below finish: CW, BU, SV,

#### ORDER EXAMPLE

description: Beam package with screen support product #: FB-BEAM-36A-E

finish: Silver SV

# BEAM PACKAGE WITH SCREEN SUPPORT




PART #	WIDTH	DEPTH	LIST
FB-BEAM-36A-E	36"	-	\$660
FB-BEAM-42A-E	42"	-	\$726
FB-BEAM-48A-E	48"	-	\$833
FB-BEAM-54A-E	54"	-	\$909
FB-BEAM-60A-E	60"	-	\$1,015
FB-BEAM-66A-E	66"	-	\$1,140
FB-BEAM-72A-E	72"	-	\$1,220

#### **NOTES**

- Powered data base covers included
- Non-powered base covers available separately, page 89
- Order screens separately

# BEAM PACKAGE WITHOUT SCREEN SUPPORT



PART #	WIDTH	DEPTH	LIST
FB-BEAM-36B-E	36"	-	\$603
FB-BEAM-42B-E	42"	-	\$661
FB-BEAM-48B-E	48"	-	\$760
FB-BEAM-54B-E	54"	-	\$828
FB-BEAM-60B-E	60"	-	\$920
FB-BEAM-66B-E	66"	-	\$1,040
FB-BEAM-72B-E	72"	-	\$1,108

#### NOTES

- Powered data base covers included
- Non-powered base covers available separately, page 89

# Beam Package Without cutouts



**INCLUDES:** Beam, Top cap & Base covers without power & data cutouts

## DESCRIPTION

Beam package without cutout

#### NOTES

- (1) Festoon included in package
- Order support posts separately
- Order infeed separately

#### SPECIFICATION OPTIONS

product #: see charts below finish: SV, BU, CW

# ORDER EXAMPLE

description: Beam package with screen

support

product #: FB-BEAM-72B-E.NC

finish: Silver SV

# BEAM PACKAGE WITHOUT SCREEN SUPPORT




PART #	WIDTH	DEPTH	LIST
FB-BEAM-36B-E.NC	36"	-	\$597
FB-BEAM-42B-E.NC	42"	-	\$656
FB-BEAM-48B-E.NC	48"	-	\$753
FB-BEAM-54B-E.NC	54"	-	\$821
FB-BEAM-60B-E.NC	60"	-	\$914
FB-BEAM-66B-E.NC	66"	-	\$1,035
FB-BEAM-72B-E.NC	72"	-	\$1,103

# NOTES

Non-powered data base covers included

# BEAM PACKAGE WITH SCREEN SUPPORT




PART #	WIDTH	DEPTH	LIST
FB-BEAM-36A-E.NC	36"	-	\$655
FB-BEAM-42A-E.NC	42"	-	\$722
FB-BEAM-48A-E.NC	48"	-	\$828
FB-BEAM-54A-E.NC	54"	-	\$902
FB-BEAM-60A-E.NC	60"	-	\$1,010
FB-BEAM-66A-E.NC	66"	-	\$1,134
FB-BEAM-72A-E.NC	72"		\$1,215

#### NOTES

- Non-powered data base covers included.
- Order screens separately

# Supporting Post Inline & End of Run



#### DESCRIPTION SPECIFICATION OPTIONS

product #: see charts below Posts support beam packages finish: Silver, Cloud White, Black Umber

#### NOTES


• Posts support beam packages

#### ORDER EXAMPLE

description: Beam inline 180° supporting post

product #: FB-POST180 finish: SV Silver

## **INLINE POST 180°**



PART#	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-POST180					\$804

Use inline, between (2) beam packages


#### **END OF RUN POST**



PART#	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POSTEND					\$751	Use at end

\$751 Use at end of run

# Supporting Post 2, 3, 4 Way



#### DESCRIPTION

Posts support beam packages

#### SPECIFICATION OPTIONS

product #: see charts below finish: Silver, Cloud White, Black Umber

#### ORDER EXAMPLE

description: 3 way supporting post 90° product #: FB-POST90-3

finish: SV Silver

2-V	VAY	<b>POST</b>	900



PART# HEIGHT WIDTH DEPTH WT. (LBS) PRICE

FB-POST90-2-D \$773 NOTES

Use at 2-way, 90°

# 3-WAY POST 90°



PART# HEIGHT WIDTH DEPTH WT. (LBS) PRICE FB-POST90-3 \$876

NOTES

NOTES

Use at 3-way, 90°

4-WAY POST 90°



PART # PRICE HEIGHT WIDTH DEPTH WT. (LBS) FB-POST90-4 \$876

Use at 4-way, 90°

## 2-WAY POST 120°



PART# HEIGHT FB-POST120-2

WIDTH DEPTH WT. (LBS) PRICE \$879

NOTES

Use at 2-way, 120°

Use at 3-way, 120°


# 3-WAY POST 120°



PART# HEIGHT WIDTH DEPTH WT. (LBS) PRICE

FB-POST120-3 \$963

# Laminate Insert Package



#### DESCRIPTION

Laminate insert packages for Beam posts

#### SPECIFICATION OPTIONS

product #: see charts below laminate: see page 9

#### ORDER EXAMPLE

product #: FB-POST180-LAM
laminate: M28 Arctic


LAMINATE INSERT PACKAGE FOR INLINE POST 180°




NOTES

#### Includes

• (2) Short Inserts




#### LAMINATE INSERT PACKAGE FOR END OF RUN POST



NOTES

## Includes

- (1) Short Insert
- (1) Tall Insert



LAMINATE INSERT PACKAGE FOR 2-WAY POST 90°



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-POST90-2-DLAM	17.5"/25"	3.5"			\$262

NOTES

# Includes

- (2) Short Inserts
- (2) Tall Inserts

# LAMINATE INSERT PACKAGE FOR 3-WAY POST 90°




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-POST90-3LAM	17.5"/25"	3.5"			\$257

NOTES

- Includes
- (3) Short Inserts (1) Tall Insert

LAMINATE INSERT
PACKAGE FOR
4-WAY POST



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-POST90-4LAM	17.5"	3.5"			\$252

NOTES

Includes • (4) Short Inserts





PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-POST120-2LAM	17.5"	3.5"			\$125

NOTES


Includes • (2) Short Inserts

LAMINATE INSERT PACKAGE FOR 3-WAY POST 120°



PART#	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FB-POST120-3LAM	17.5"	3.5"			\$188	Includes  • (3) Short Inserts

# Gallery Panels Double Sided, End of Run



#### DESCRIPTION

Laminate gallery panels connect to the end of a Beam run

#### NOTES

- Used at the end of a Beam run, attaches to Beam posts.
- Attachment hardware is included.
- Gallery panels provide modesty, not structural support.
- Extended length is to accomodate added depth from Privacy Screens

#### SPECIFICATION OPTIONS

product #: see charts below surface finish: see page 9 finish: see page 9

#### ORDER EXAMPLE

product #: FBGPEORD.3048
surface finish: M10 Espresso
finish: Silver SV

## **30" HIGH**

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORD.3048	30"	53.5"	1"	\$792
FBGPEORD.3060	30"	65.5"	1"	\$872

#### **30" HIGH - EXTENDED LENGTH**

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORD.PS.3048	30"	58"	1"	\$871
FBGPEORD.PS.3060	30"	70"	1"	\$959


# 42" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE	
FBGPEORD.4248	42"	53.5"	1"	\$944	
FBGPEORD.4260	42"	65.5"	1"	\$1,053	

#### 42" HIGH - EXTENDED LENGTH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORD.PS.4248	42"	58"	1"	\$1,038
FBGPEORD.PS.4260	42"	70"	1"	\$1,158

# Gallery Panels Single Sided, End of Run



#### DESCRIPTION

Laminate gallery panels connect to the end of a Beam run

#### NOTES

- Used at the end of a Beam run, attaches to Beam posts.
- Attachment hardware is included.
- Gallery panels provide modesty, not structural support.
- Extended length is to accommodate added depth from Privacy Screens

#### SPECIFICATION OPTIONS

product #: see charts below surface finish: see page 9 finish: see page 9

#### ORDER EXAMPLE

product #: FBGPEORS.3024L surface finish: M10 Espresso finish: Silver SV

## **30" HIGH**

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORS.3024L	30"	29.5"	1"	\$625
FBGPEORS.3024R	30"	29.5"	1"	\$625
FBGPEORS.3030L	30"	35.5"	1"	\$664
FBGPEORS.3030R	30"	35.5"	1"	\$664

#### **30" HIGH - EXTENDED LENGTH**

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORS.PS.3024L	30"	31"	1"	\$688
FBGPEORS.PS.3024R	30"	31"	1"	\$688
FBGPEORS.PS.3030L	30"	37"	1"	\$730
FBGPEORS.PS.3030R	30"	37"	1"	\$730

# 42" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FBGPEORS.4224L	42"	29.5"	1"	\$719
FBGPEORS.4224R	42"	29.5"	1"	\$719
FBGPEORS.4230L	42"	35.5"	1"	\$774
FBGPEORS.4230R	42"	35.5"	1"	\$774

#### 42" HIGH - EXTENDED LENGTH

PART #	HEIGHT	WIDTH	DEPTH	PRICE	
FBGPEORS.PS.4224L	42"	31"	1"	\$791	
FBGPEORS.PS.4224R	42"	31"	1"	\$791	
FBGPEORS.PS.4230L	42"	37"	1"	\$851	
FBGPEORS.PS.4230R	42"	37"	1"	\$851	

# Beam Base Cover, non-powered

		_

#### DESCRIPTION

Base cover without power/data knockout

#### SPECIFICATION OPTIONS

product #: see charts below finish: SV, BU, CW

#### NOTES

Beam package includes power/data base covers

#### ORDER EXAMPLE

description: Non-powered Beam
basecover
product #: FATB-BC-N-48

finish: Silver SV

PART #	LIST
FATB-BC-N-36	\$53
FATB-BC-N-42	\$64
FATB-BC-N-48	\$72
FATB-BC-N-54	\$81
FATB-BC-N-60	\$88
FATB-BC-N-66	\$96
FATB-BC-N-72	\$104

#### NOTES

- Non-powered base cover
- Order (1) for each side if needed

# **Beam Package Top Caps**



## DESCRIPTION

Top cap only.

#### NOTES

- Top cap is included in beam package #FB-BEAM-XXX-E
- Includes attachment hardware
- Order new top cap to match the size and finish of the original beam package
- This top cap sold separately for reconfiguration purposes

#### SPECIFICATION OPTIONS

product #: see charts below finish: See page 9

#### ORDER EXAMPLE

description: Top cap for beam packages product #: FB-TOPCAP-36-A-XX finish: Silver SV

#### BEAM TOP CAP WITH SCREEN SUPPORT



PART #	WIDTH	DEPTH	LIST
FB-TOPCAP-36-A	36"	-	\$242
FB-TOPCAP-42-A	42"	-	\$266
FB-TOPCAP-48-A	48"	-	\$292
FB-TOPCAP-54-A	54"	-	\$315
FB-TOPCAP-60-A	60"	-	\$347
FB-TOPCAP-66-A	66"	-	\$369
FB-TOPCAP-72-A	72"	-	\$401

#### NOTES

• Order screens separately. (see page 56)

# BEAM TOP CAP WITHOUT SCREEN SUPPORT



PART #	WIDTH	DEPTH	LIST
FB-TOPCAP-36-B	36"	-	\$91
FB-TOPCAP-42-B	42"	-	\$105
FB-TOPCAP-48-B	48"	-	\$118
FB-TOPCAP-54-B	54"	-	\$134
FB-TOPCAP-60-B	60"	-	\$148
FB-TOPCAP-66-B	66"	-	\$160
FB-TOPCAP-72-B	72"	-	\$177

# Beam Electrical Distribution

#### DESCRIPTION

#### Electrical distribution components

#### SPECIFICATION OPTIONS

product #: see charts below finish: see page 9

#### ORDER EXAMPLE

#### product #: FIRECP4.1

finish: CW

#### NOTES

- · Circuit 4 is dedicated
- Power is 8 wire, (4) 20 AMP circuit
- Receptacles are rated 120V, 15 AMPS


#### **RECEPTACLE 4-CIRCUITS**

PART#	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FIRECP4.I	circuit I	_	_	0.25"	\$37
FIRECP4.II	circuit II	_	_	0.25"	\$37
FIRECP4.III	circuit III	_	_	0.25"	\$37
FIRECP4.IIII	circuit IIII (dedicated)	_	_	0.25"	\$37
FIRECP4.II-CONT	Circut II	-	-	0.25"	\$37
FIRECP4.III-CONT	Circut III	_	_	0.25"	\$37

#### NOTES

- Provides access to I, II, III, IIII circuit
- Provides dedicated circuit with "IIII" receptacle
- CW, SV, BU
- Receptacle -CONT are permanently marked CONTROLLED on the face of the receptacle and must be connected to a timer or motion sensor at the infeed location by a licensed electrician in order to comply with California T24

#### **DATA PORT PLATE**




PART#	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FBDPP	2.125"	3.625"	0.250"	0.10	\$61
FHDPP	2.125"	3.625"	0.750"	0.10	\$61

#### NOTES

- If running more than (20) data cables, use FHDPP.
- If running less than (20) data cables, use FBDPP.
- SV, CW or BU

#### **CHICAGO POWER BOX**



PART#	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FBCPB					\$72

#### NOTES

- Chicago Power Boxes house electrical components provided by others
- Can accommodate back-toback or single-sided duplexes (provided by others)
- Beams 36"W can accomodate
   (1) chicago power box
- Beams 42"W and over can accomodate (2) chicago power boxes

# Beam Electrical Distribution, cont'd

# **BASE POWER ENTRY**




PART#	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE
FB-BPE		6'			\$452

## NOTES

- Base power entry, 4 circuit, for use with Beam product.
- Base infeed comes with post inserts with cutout, (1) tall and (1) short
- CW, BU, or SV finish

# **CEILING POWER ENTRY**



PART# HEIGHT WIDTH DEPTH WT. (LBS) PRICE FB-CPE \$1,095


- Ceiling power entry, 4 circuit, for use with Beam product.
- CW, SV, BU
- Beam power poles attach at any tall insert side of a Beam post. They can attach at any of the following post types:
  - End-of-run post
  - 2-way 90° post3-way 90° post

# **CEILING DATA ENTRY**

PART# HEIGHT WIDTH DEPTH WT. (LBS) PRICE FB-CDE \$569

- NOTES
  - Routes data cables from the ceiling to Beam
- CW, SV, BU

# **Beam Mounted Screens**



#### DESCRIPTION

Privacy screens for use with beam product

## SPECIFICATION OPTIONS

product #: see charts below


#### NOTES

- For use with beam packages with screen support: i.e. FB-BEAM-42A-E
- Includes mounting hardware
- Actual screen is 7" shorter than Beam Package

#### ORDER EXAMPLE

product #: FB-FBS2436
fabric: PF1010-3 Slide Pewter

#### FROSTED GLASS SCREEN




PART #	WIDTH	HEIGHT	LIST
FB-GLS2436-FR	29"	24"	\$343
FB-GLS2442-FR	35"	24"	\$392
FB-GLS2448-FR	41"	24"	\$427
FB-GLS2454-FR	47"	24"	\$476
FB-GLS2460-FR	53"	24"	\$525
FB-GLS2466-FR	59"	24"	\$573
FB-GLS2472-FR	65"	24"	\$624

#### **NOTES**

• Price is for (1) screen

#### **CLEAR GLASS SCREEN**




PART #	WIDTH	HEIGHT	LIST
FB-GLS2436-CL	29"	24"	\$209
FB-GLS2442-CL	35"	24"	\$235
FB-GLS2448-CL	41"	24"	\$254
FB-GLS2454-CL	47"	24"	\$279
FB-GLS2460-CL	53"	24"	\$308
FB-GLS2466-CL	59"	24"	\$334
FB-GLS2472-CL	65"	24"	\$360

#### NOTES

• Price is for (1) screen

# FABRIC COVERED SCREEN




PART #	WIDTH	HEIGHT	LIST
FB-FBS2436	29"	24"	\$600
FB-FBS2442	35"	24"	\$626
FB-FBS2448	41"	24"	\$651
FB-FBS2454	47"	24"	\$683
FB-FBS2460	53"	24"	\$710
FB-FBS2466	59"	24"	\$744
FB-FBS2472	65"	24"	\$771

#### NOTES

- Price is for (1) screen
- Screens are magnetic, not tackable
- Passage and Terrain fabric not approved for this application



# Rectangular



#### DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

#### NOTES

- Add grommet (add \$75 list)
   Specify grommet placement (see page 10
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

#### SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 9
edge finish: see page 9

#### ORDER EXAMPLE

product #:FBRWS.2340 worksurface finish: Light Maple, M1 edge finish: DT Dark Tone, E12 grommet: GC (Rear Center) grommet color: Cloud White

#### RECTANGULAR WORKSURFACE, 23" DEEP

PART #	WIDTH	DEPTH	PRICE
FBRWS.2340	40"	23"	\$380
FBRWS.2346	46"	23"	\$392
FBRWS.2352	52"	23"	\$463
FBRWS.2358	58"	23"	\$474
FBRWS.2364	64"	23"	\$545
FBRWS.2370	70"	23"	\$561
FBRWS.2376	76"	23"	\$684
FBRWS.2382	82"	23"	\$691

#### NOTES

 Sizes are actual for example FBRWS.2370 is 23" x 70"

#### RECTANGULAR WORKSURFACE, 29" DEEP

PART #	WIDTH	DEPTH	PRICE
FBRWS.2940	40"	29"	\$449
FBRWS.2946	46"	29"	\$463
FBRWS.2952	52"	29"	\$547
FBRWS.2958	58"	29"	\$561
FBRWS.2964	64"	29"	\$650
FBRWS.2970	70"	29"	\$664
FBRWS.2976	76"	29"	\$818
FBRWS.2982	82"	29"	\$824

#### NOTES

• Sizes are actual for example FBRWS.2970 is 29" x 70"


# RECTANGULAR WORKSURFACE, 35" DEEP

PART #	WIDTH	DEPTH	PRICE
FBRWS.3540	40"	35"	\$473
FBRWS.3546	46"	35"	\$480
FBRWS.3552	52"	35"	\$843
FBRWS.3558	58"	35"	\$852
FBRWS.3564	64"	35"	\$862
FBRWS.3570	70"	35"	\$871
FBRWS.3576	76"	35"	\$879
FBRWS.3582	82"	35"	\$1,005

#### NOTES

• Sizes are actual for example FBRWS.3570 is 35" x 70"

# Corner



PART#

FBCWS.2946

#### DESCRIPTION

Corner worksurface top only, for use with height adjustable base within workstation application.

#### NOTES

- Add grommet (add \$75 list)
  Specify grommet placement (see page 10)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in with to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

DEPTH

29"

PRICE

\$715

#### SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

#### ORDER EXAMPLE

product #: FBCWS.2340 edge finish: DT Dark Tone, E12 worksurface finish: Light Maple, M1 grommet: GC (Rear Center) grommet color: Cloud White

#### CORNER WORKSURFACE

FBCWS.2340	40"	23"	\$626
FBCWS.2346	46"	23"	\$662
FBCWS.2940	40"	29"	\$681


WIDTH

46"


## NOTES

 Sizes are actual for example FBCWS.2346 is 23" x 46"

# 90° Extended Curved Corner



Right Extended shown



#### DESCRIPTION

Laminate worksurface with 3mm PVC edge

#### NOTES

- Worksurface top only, for use with height adjustable base within workstation application
- See My-Hite pricebook for use inside a freestanding application
- Add circular grommet (add \$75 list)
   Specify grommet placement (see page 10)
- Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points.
- We do not recommend using full size worktop in paneled workstation applications

#### SPECIFICATION OPTIONS

product #: see charts below edge finish: see page 9 worksurface finish: see page 9

left or right extended: L for Left, R for Right

#### ORDER EXAMPLE

product #: FBECCWS.23345823L top, edge finish: E10 Espresso worksurface finish: M11 Light Walnut

# 23" D CONNECTING SIDE 23" D EXTENSION 34" D

PART #	HEIGHT	Α	В	С	D	PRICE
FBECCWS.23345823L	1.25"	23"	34"	58"	23"	\$718
FBECCWS.23345823R	1.25"	23"	34"	58"	23"	\$718
FBECCWS.23346423L	1.25"	23"	34"	64"	23"	\$800
FBECCWS.23346423R	1.25"	23"	34"	64"	23"	\$800
FBECCWS.23347023L	1.25"	23"	34"	70"	23"	\$813
FBECCWS.23347023R	1.25"	23"	34"	70"	23"	\$813
FBECCWS.23347623L	1.25"	23"	34"	76"	23"	\$974
FBECCWS.23347623R	1.25"	23"	34"	76"	23"	\$974
FBECCWS.23348223L	1.25"	23"	34"	82"	23"	\$1,081
FBECCWS.23348223R	1.25"	23"	34"	82"	23"	\$1,081

# 29" D CONNECTING SIDE 29" D EXTENSION 34" D

PART#	HEIGHT	А	В	С	D	PRICE
FBECCWS.29345829L	1.25"	29"	34"	58"	29"	\$786
FBECCWS.29345829R	1.25"	29"	34"	58"	29"	\$786
FBECCWS.29346429L	1.25"	29"	34"	64"	29"	\$868
FBECCWS.29346429R	1.25"	29"	34"	64"	29"	\$868
FBECCWS.29347029L	1.25"	29"	34"	70"	29"	\$879
FBECCWS.29347029R	1.25"	29"	34"	70"	29"	\$879
FBECCWS.29347629L	1.25"	29"	34"	76"	29"	\$1,042
FBECCWS.29347629R	1.25"	29"	34"	76"	29"	\$1,042
FBECCWS.29348229L	1.25"	29"	34"	82"	29"	\$1,145
FBECCWS.29348229R	1.25"	29"	34"	82"	29"	\$1,145

23" D CONNECTING SIDE
23" D EXTENSION
40" D

PART #	HEIGHT	Α	В	С	D	PRICE
FBECCWS.23405823L	1.25"	23"	40"	58"	23"	\$865
FBECCWS.23405823R	1.25"	23"	40"	58"	23"	\$865
FBECCWS.23406423L	1.25"	23"	40"	64"	23"	\$972
FBECCWS.23406423R	1.25"	23"	40"	64"	23"	\$972
FBECCWS.23407023L	1.25"	23"	40"	70"	23"	\$987
FBECCWS.23407023R	1.25"	23"	40"	70"	23"	\$987
FBECCWS.23407623L	1.25"	23"	40"	76"	23"	\$1,196
FBECCWS.23407623R	1.25"	23"	40"	76"	23"	\$1,196
FBECCWS.23408223L	1.25"	23"	40"	82"	23"	\$1,335
FBECCWS.23408223R	1.25"	23"	40"	82"	23"	\$1,335

# 29" D CONNECTING SIDE 29" D EXTENSION 40" D

PART #	HEIGHT	Α	В	С	D	PRICE
FBECCWS.29405829L	1.25"	29"	40"	58"	29"	\$931
FBECCWS.29405829R	1.25"	29"	40"	58"	29"	\$931
FBECCWS.29406429L	1.25"	29"	40"	64"	29"	\$1,038
FBECCWS.29406429R	1.25"	29"	40"	64"	29"	\$1,038
FBECCWS.29407029L	1.25"	29"	40"	70"	29"	\$1,054
FBECCWS.29407029R	1.25"	29"	40"	70"	29"	\$1,054
FBECCWS.29407629L	1.25"	29"	40"	76"	29"	\$1,264
FBECCWS.29407629R	1.25"	29"	40"	76"	29"	\$1,264
FBECCWS.29408229L	1.25"	29"	40"	82"	29"	\$1,401
FBECCWS.29408229R	1.25"	29"	40"	82"	29"	\$1,401


# 23" D CONNECTING SIDE 23" D EXTENSION 46" D

PART#	HEIGHT	А	В	С	D	PRICE
FBECCWS.23465823L	1.25"	23"	46"	58"	23"	\$877
FBECCWS.23465823R	1.25"	23"	46"	58"	23"	\$877
FBECCWS.23466423L	1.25"	23"	46"	64"	23"	\$987
FBECCWS.23466423R	1.25"	23"	46"	64"	23"	\$987
FBECCWS.23467023L	1.25"	23"	46"	70"	23"	\$1,009
FBECCWS.23467023R	1.25"	23"	46"	70"	23"	\$1,009
FBECCWS.23467623L	1.25"	23"	46"	76"	23"	\$1,229
FBECCWS.23467623R	1.25"	23"	46"	76"	23"	\$1,229
FBECCWS.23468223L	1.25"	23"	46"	82"	23"	\$1,378
FBECCWS.23468223R	1.25"	23"	46"	82"	23"	\$1,378

# 29" D CONNECTING SIDE 29" D EXTENSION 46" D

PART#	HEIGHT	Α	В	С	D	PRICE
FBECCWS.29465829L	1.25"	29"	46"	58"	29"	\$945
FBECCWS.29465829R	1.25"	29"	46"	58"	29"	\$945
FBECCWS.29466429L	1.25"	29"	46"	64"	29"	\$1,054
FBECCWS.29466429R	1.25"	29"	46"	64"	29"	\$1,054
FBECCWS.29467029L	1.25"	29"	46"	70"	29"	\$1,077
FBECCWS.29467029R	1.25"	29"	46"	70"	29"	\$1,077
FBECCWS.29467629L	1.25"	29"	46"	76"	29"	\$1,296
FBECCWS.29467629R	1.25"	29"	46"	76"	29"	\$1,296
FBECCWS.29468229L	1.25"	29"	46"	82"	29"	\$1,439
FBECCWS.29468229R	1.25"	29"	46"	82"	29"	\$1,439

# **Rectangular Extension** Freestanding Application



#### DESCRIPTION

Laminate worksurface with 3mm PVC edge

#### NOTES

- For use in combination with Extended Corner Worksurfaces and Corner My-Hite Bases only
- Not for use alone, nor with straight bases
- Maximum width combined: 84x84" (for all bases) or 72x96" (3 Stage base only)


#### SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 9
edge finish: see page 9

# ORDER EXAMPLE

product #: FBRWS.2324 worksurface finish: Light Maple, M1 edge finish: DT Dark Tone, E12


# RECTANGULAR WORKSURFACE



PART #	DEPTH "A"	WIDTH "E"	LIST
FBRWS.2324	23"	24"	\$299
FBRWS.2330	23"	30"	\$342
FBRWS.2336	23"	36"	\$353
FBRWS.2924	29"	24"	\$396
FBRWS.2930	29"	30"	\$451
FBRWS.2936	29"	36"	\$464


#### NOTES


 Standard default grain direction is left to right (See left)



PART#	DEPTH "A"	WIDTH "E"	LIST	NOTES
FBRWS.2324-CG	23"	24"	\$357	Cross grain direction is front to
FBRWS.2330-CG	23"	30"	\$409	back (See left)
FBRWS.2336-CG	23"	36"	\$423	
FBRWS.2924-CG	29"	24"	\$475	
FBRWS.2930-CG	29"	30"	\$542	
FBRWS.2936-CG	29"	36"	\$557	

# **D-Shaped**





#### DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

#### NOTES

- Add grommet (add \$75 list)
   Specify grommet placement (see page 10)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

#### SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

#### ORDER EXAMPLE

product #:FBEDSP.2346 edge finish: DT Dark Tone, E12 worksurface finish: Espresso, M10 grommet: GC (Rear Center) grommet color: Cloud White


#### D-SHAPED

PART#	HEIGHT	А	В	С	D	PRICE
FBEDSP.2346	1.25"	46"	23"	_	_	\$572
FBEDSP.2358	1.25"	58"	23"	_	_	\$638
FBEDSP.2946	1.25"	46"	29"	_	-	\$628
FBEDSP.2958	1.25"	58"	29"	_	_	\$697
FBEDSP.2970	1.25"	70"	29"	_	-	\$760
FBEDSP.3570	1.25"	70"	35"	_	_	\$839

#### NOTES

• Sizes are actual for example FBEDSP.2346 is 23" x 46"

# Wedge



#### DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

#### NOTES

- Add grommet (add \$75 list)
   Specify grommet placement (see page 10)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

#### SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

#### ORDER EXAMPLE

product #:FBWDWS.234029 edge finish: DT Dark Tone, E12 worksurface finish: Espresso, M10 grommet: GC (Rear Center) grommet color: Cloud White


#### 23"D LEFT 29"D RIGHT

PART #	HEIGHT	Α	В	С	D	PRICE
FBWDWS.234029	1.25"	23"	40"	29"	_	\$444
FBWDWS.234629	1.25"	23"	46"	29"	_	\$452
FBWDWS.235229	1.25"	23"	52"	29"	_	\$514
FBWDWS.235829	1.25"	23"	58"	29"	_	\$550
FBWDWS.236429	1.25"	23"	64"	29"	_	\$614
FBWDWS.237029	1.25"	23"	70"	29"	_	\$628
FBWDWS.237629	1.25"	23"	76"	29"	_	\$729

# 29"D LEFT 23"D RIGHT

PART #	HEIGHT	А	В	С	D	PRICE
FBWDWS.294023	1.25"	29"	40"	23"	_	\$444
FBWDWS.294623	1.25"	29"	46"	23"	_	\$452
FBWDWS.295223	1.25"	29"	52"	23"	_	\$514
FBWDWS.295823	1.25"	29"	58"	23"	_	\$550
FBWDWS.296423	1.25"	29"	64"	23"	-	\$614
FBWDWS.297023	1.25"	29"	70"	23"	_	\$628
FBWDWS.297623	1.25"	29"	76"	23"	_	\$729

# 120° Corner / 90° Ends



#### **DESCRIPTION**

Worksurface top only, for use with height adjustable base within workstation application

#### NOTES

- Add grommet (add \$75 list)
   Specify grommet placement (see page 10)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

#### SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

#### ORDER EXAMPLE

product #:FB120-90WS.2334 edge finish: DT Dark Tone, E12 worksurface finish: Espresso, M10


grommet: 120GR

grommet color: Cloud White

## 120° CORNER 90° ENDS

PART #	HEIGHT	Α	В	С	D	PRICE
FB120-90WS.2334	1.25"	23"	34"	_	_	\$820
FB120-90WS.2340	1.25"	23"	40"	_	_	\$1,010
FB120-90WS.2346	1.25"	23"	46"	_	-	\$1,259

# 120° Corner / 120° Ends



#### DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

#### NOTES

- Add grommet (add \$75 list)
   Specify grommet placement (see page 10)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

#### SPECIFICATION OPTIONS

product #: see charts below
edge finish: see page 9
worksurface finish: see page 9

#### ORDER EXAMPLE

product #:FB120-120WS.2334 edge finish: DT Dark Tone, E12 worksurface finish: Espresso, M10 grommet: 120GR

120° CORNER 120° ENDS

PART #	HEIGHT	Α	В	С	D	PRICE
FB120-120WS.2334	1.25"	23"	34"	_	_	\$820
FB120-120WS.2340	1.25"	23"	40"	_	_	\$1,010
FB120-120WS.2346	1.25"	23"	46"			\$1,259